

RUNPOTEC®

STRONGEST CABLE PULLING



INTRODUCTION PROMOTION

RUNPOMETER RM35 + ACCESSORIES + SYSTEM CASE

DIGITAL CABLE LENGTH MEASURING DEVICE


For versatile use with cables of Ø 2 mm - 32 mm, single conductors, ropes, pipes

- ✓ **Jobsite capable**
 - ▶ Splash water & dust proof
 - ▶ Impact and breakage protected
- ✓ **Compatible with all unwinding systems**
- ✓ **For measuring lengths with cable pulling systems**
- ✓ **Easy to use**
 - ▶ Totalling function
- ✓ **Battery life in continuous operation 100 hrs.**
(without backlighting)

INSTEAD OF € 369,-

€ **329,-**

plus tax
RUNPOMETER RM35 - Introductory price
RUNPOTEC Item no.: 10172



CALIBRATABLE



SCOPE OF DELIVERY RUNPOMETER RM35



SET OFFER

RUNPOMETER RM35 + ACCESSORIES + SYSTEM CASE + X BOARD XB 300

PROMOTION CONTENT

1 x RUNPOMETER RM35
Digital cable length measuring device
incl. accessories and system case

1 x X BOARD Profi cable roller XB 300
Universal cable drum re-winder and unwinder
(also for damaged cable drums), loadable up to 300 kg

INSTEAD OF € 483,45

€ **379,-**

plus tax
RUNPOMETER RM35 - XB 300 - PROMOTION
RUNPOTEC Item no.: 11143




CALIBRATABLE




SCOPE OF DELIVERY RUNPOMETER RM35




APPLICATION EXAMPLES RUNPOMETER RM35 - DIGITAL CABLE LENGTH MEASURING DEVICE



RUNPOMETER RM35 with **belt and clip system** connected to XB 500



RUNPOMETER RM35 with **connecting pad and belt** fixed to cable drum roller PRO



RM35 with **Mounting plate- system case**, Profi Set fiberglass rod Ø 4,5 mm

Quality check



RUNPOTEC products are checked at several stages for

» Breaking load



» Material quality

» Material fatigue

» Mechanical stress

» Functional ability



RUNPOCAM RC2 30 m + POWER REX 30 m

PROMOTION-Content:

1 x RUNPOCAM RC2 – multifunction-inspection-camera with 30 m cable
Field of application in combination with POWER REX:

For pipe inspections over long distances of up to 50 m. As of 14 mm inner diameter (corresponds to empty pipe Ø 20 mm). Also for larger pipe cross-sections, cavity wall inspections, suspended ceilings, manhole, underfloor ducts, maintenance and system inspections
Content: see product video

1 x POWER REX – 30 m fiberglass rod with BOX

Cable pulling device, optimal for pipe-Ø 16 – 50 mm, total breaking load 120 kg (glass fibre rod including end sleeves)
Content: see www.runpotec.com

INSTEAD OF € 675,⁹⁰
€ 609,-
plus tax
 RUNPOCAM RC2 – POWER REX – OFFER
 RUNPOTEC Item. no.: 11138



W-BOX® | Sortimo KOMPATIBEL

RUNPOCAM RC2 30 m + RUNPOSTICKS – COMFORT PAKET

PROMOTION-Content:

1 x RUNPOCAM RC2 – multifunction-inspection-camera with 30 m cable
Field of application in combination with RUNPOSTICKS Comfort:

Memory function/documentated evidence – photo, video and audio, battery operation up to 6 hours, protection class IP 67, extra large 3.5" TFT LCD display. **Content:** see product video

1 x RUNPOSTICKS Comfort Paket

Field of application: suspended ceilings, cable ducts, hollow walls, retroactive cabling for non-routed cables, underfloor shafts, various bushings and much more. **Content:** 19 parts

INSTEAD OF € 703,⁹⁰
€ 629,-
plus tax
 RUNPOCAM RC2 – RUNPOSTICKS – Offer
 RUNPOTEC Item no.: 11137



W-BOX® | Sortimo KOMPATIBEL

RUNPOCAM RC2 50 m + PROFI-SET 50 m

PROMOTION-Content:

1 x RUNPOCAM RC2 – Multifunction-inspection-camera with 50 m cable
Application in combination with Profi-Set:

See description above.
Content: see product video

1 x Profi-Set – 50 m fiberglass rod Ø 4,5 mm

Optimal for pipe-Ø 30 – 80 mm.
Content: see product video

INSTEAD OF € 904,⁹⁰
€ 789,-
plus tax
 RUNPOCAM RC2 50 m – Fiberglass rod 50 m
 RUNPOTEC Item no.: 11140



W-BOX® | Sortimo KOMPATIBEL

PROMOTION	
RUNPOMETER RM35 - Digital cable length measuring device	2
RUNPOCAM RC 2 promotion	4
CABLE PULLING SYSTEMS	
Cable lubricating compound GEL SPRAY FOAM SPRAY LIQUID	19
RUNPO 5 2 x RUNPOGLIDER with swivel, special plastic tape Ø 5,3 mm, triple twisted	20
RUNPOSTICKS standard and comfort plastic-coated basalt pushrod set	22
RUNPO 1 Special plastic fish tape Ø 4 mm, with RUNPOGLIDER	24
POWER REX Fiberglass rod Ø 3 mm incl. RUNPOGLIDER with swivel	25
RUNPOTEC RT 2008 Tool for pushing in RUNPOGLIDER into conduit	28
RUNPOGLIDER spiral MET Metal spiral Ø 4 mm with RUNPOGLIDER	29
RUNPOFIX Cable pulling loop with protective cap Protects plugs against damage	30
Cable pulling grip Ø 4 – 15 mm	31
Cable pulling grip Ø 9 – 100 mm	32
Cable diameters Summary table - Information page	33
Fiberglass rod Ø 4,5 mm incl. steel cage and new double run-out system	34
Fiberglass rod Ø 6 mm incl. steel cage and new double run-out system	37
Fiberglass rod Ø 7,5 – 9 mm incl. steel cage, new double run-out system and meter counter	41
Fiberglass rod Ø 11 mm incl. steel cage, new double run-out system and meter counter	44
Fiberglass rod Ø 15 mm incl. steelcage and meter counter	46
Cage-flexible leading head-set RUNPOSTICKS, 13 parts	40
Capstan winch CW 800 E for horizontal cable pulling	48
Polyester towing rope incl. steel cage or drum Ø 8 mm, 10 mm, 12 mm 120 m – 350 m	50
Metal spiral Ø 4 mm Nylon fish tape Ø 3 – 4 mm	53
INSPECTION SYSTEMS MEASURING DEVICES RUNPOTEC SYSTEM-CASE	
RUNPOMETER RM35 - Digital cable length measuring device	6
RUNPOCAM RC 2 Multifunction-inspection-camera 10 m, 30 m, 50 m	16
Laser distance meter RM80	52
RUNPOTEC system-case	10
CABLE ROLLER SYSTEMS	
X-BOARD Profi cable roller XB 300 multi-function mandrel	8
X-BOARD Profi cable roller XB 500	11
Cable drum roller PRO 530 PRO 670	12
Roll-off rails AS 900 In a 2-part set	13
RUNPOLIFTER 4500 cable drum lifter L 1150, L 1350, L 1600	14
Cable drum Summary table - Information page	15
Cable guide roller chain 90 degrees shaft shaft inside edge	51
PRICE LIST GTC	
Price list	54
GTC General terms and conditions	59

RUNPOMETER RM35 Digital cable length measuring device



CALIBRATABLE

ADVANTAGES

- ✓ **Jobsite capable**
 - ▶ Splash water & dust proof
 - ▶ Impact and breakage protected
- ✓ **For versatile use** with cables of Ø 2 mm - Ø 32 mm, single conductors, ropes, pipes
- ✓ **Compatible** with all unwinding systems
- ✓ **For measuring lengths** for cable pulling systems
- ✓ **Battery life** in continuous operation 100 hrs. (without backlighting)



Item	Item no.	Rec. trade price
RUNPOMETER RM35 - Digital cable length measuring device	10172	369,00 € Introductory price 329,00 €
RUNPOMETER RM35 CALIBRATED - Digital cable length measuring device	10184	509,00 € Introductory price 469,00 €

Detailed description of the calibration (Test according to module F) can be obtained via the QR-Code or via www.runpotec.com

The RUNPOMETER RM35 is a digital cable length measuring device which be used to precisely measure cables, single conductors, ropes, pipes or hoses with a diameter of Ø 2 mm to Ø 32 mm. It is splash-proof and dust-proof, extremely shock-resistant and thus ideally suited for the jobsite. The RM35 has 2 totalling buttons which can be used to add up the measured values as you work. A countdown function is also included, which can be used to measure predetermined cable lengths. The RM35 is equipped with a lithium ion battery that has an extremely long runtime (100 hrs. continuous operation without backlighting). The battery can be charge using the integrated USB-C charging socket. The RUNPOMETER RM35 is perfectly stowed in the RUNPOTEC system case, which is also compatible with Sortimo products. The RUNPOMETER can be easily connected to the X BOARD XB 300 or XB 500 cable unwinding system via the supplied belt and clip system. The belt length can be easily adjusted from 750 mm to 1200 mm. Alternatively, this belt can also be fixed to the connecting pad, thereby offering a fixation option for all conventional rolling systems.

Scope of delivery – RUNPOMETER RM35 – Item no. 10172 and 10184 incl. Certificate



All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

APPLICATION EXAMPLES




RM35 with **belt and clip-system** connected to Profi-Set fiberglass rod Ø 4,5 mm




RUNPOMETER RM35 with **belt and clip-system** connected to XB 500



RUNPOMETER RM35 with **connecting pad and belt** fixed to cable drum roller PRO



RM35 with clip-system **in cable store**




RM35 with mounting plate-case, **Cable assembly**



RM35 with **RUNPOLIFTER L1600** and 3 x 35 mm² cable

DISPLAY - extensive application options



- 1** Current counter reading, max. measuring distance 99999,99 m
- 2** COUNTDOWN – function, e.g. for repetitive cutting to length or cable residual value determination (initial value 200 m minus unwound length 50 m results in current residual value 150 m) see ACTUAL
- 3** ACTUAL – current residual value (150 m) from the entered COUNTDOWN value
- 4** Current counter reading (positive/negative) add the sum (TOTAL 1)
- 5** second option - current counter reading (positive/negative) add to the sum (TOTAL 2)
- 6** Show the cable pull direction (forward or backward)
- 7** Beep signal when the COUNTDOWN value is reached

Accessoires Components		Item no.	Rec. trade price
	Belt with clip-system and connecting pad To connect with all conventional rolling systems Belt length 1200 mm + connecting pad (2-part) Belt length 2400 mm + connecting pad (2-part)	20706 20714	32,10 € 37,10 €
	Sliding Jaw Set RM35 - 4-part Spare part for RUNPOMETER RM35	20707	12,90 €
	RUNPOTEC System case with case insert (for RUNPOMETER RM35)	20708	52,80 €
	Mountingplate - system case attachment for RUNPOMETER RM35	20739	38,20 €
	Guide jaws RM35 - 4-part for high-precision measuring results Guide jaws grey (Ø 12 mm / 18 mm) Guide jaws red (Ø 6 mm / 24 mm)	20738	16,30 €



Profi cable roller XB 300



X BOARD mandrel
Ø 45 mm
Removable for
small drums



Possible applications



**RUNPOMETER
RUNPOSTICKS
COMPATIBEL**

NEW NOW WITH
CLIP-SYSTEM FOR
RUNPOMETER



The compact X BOARD – XB 300 is a universal, professional device for winding in/out cables on all small- to mid-sized cable drums. The XB 300 scores highly thanks to its small, lightweight and flat design but is still capable of carrying up to 300 kg. **Ideal for damaged cable drums.** For trouble-free and efficient working without the tangled cables. 6 rubberised feet ensure a non-slip and secure standing position. Ideal for protecting already completed flooring surfaces. Due to the removable mandrel, cable drums with different hole sizes can be used. Here also the multi-function mandrel can be attached to unwind loose cable bundles or single wires. (Multifunction mandrel is not included).

Multifunction mandrel

Can only be used in combination with **X BOARD XB 300** (and **XB 500**)

NEW



Telescopic middle mandrel up to max. 294 mm


foldable





Possible applications



The multifunction mandrel has been **specially developed for the X BOARD XB 300 and XB 500 cable rolling systems.** By attaching it to the stainless steel central mandrel and unfolding the 4 side brackets, loose cable bundles or individual wires can also be rolled.

Spare part	Item no.	Rec. trade price
 <p>X BOARD mandrel for X BOARD XB 300 and XB 500</p>	20632	9,80 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022.
All illustrations are symbol photos. Typing and printing errors reserved.

	Item	Item no.	Rec. trade price
	<p>Multifunction mandrel The multifunction mandrel has been specially developed for the X BOARD XB 300 and XB 500 cable rolling systems</p>	20696	51,40 €
	<p>X BOARD – Profi cable roller XB 300 – Ø 300 mm Load bearing capacity 300 kg</p>	10137	114,40 €



**PROMOTION-CONTENT:
XB 300 + MULTIFUNCTION
MANDREL- SET**

INSTEAD OF € 165,80
€ 148,-
plus tax

XB 300 – MULTIFUNCTION MANDREL – SET – offer
RUNPOTEC Item no. 10174



W-BOX® | Sortimo COMPATIBLE

**PROMOTION-CONTENT:
XB 300 – COMPLETE-SET
incl. multifunction mandrel +
systemcase**

INSTEAD OF € 218,60
€ 189,-
plus tax

XB 300 – COMPLETE-SET – offer
RUNPOTEC item no. 10170



W-BOX® | Sortimo COMPATIBLE

**PROMOTION-CONTENT:
RUNPO 5 + XB 300 – MULTISSET
incl. multifunction mandrel + systemcase**

RUNPO 5 – 30 m - 2 x RUNPO GLIDER®
with swivel, triple twisted, tension load 270 Kg,
optimal for pipe Ø 16 - 40 mm

INSTEAD OF € 375,60
€ 305,-
plus tax

RUNPO 5 – XB 300 – MULTISSET – offer
RUNPOTEC item no. 10171

RUNPOTEC SYSTEM CASE

W-BOXX® | Sortimo® COMPATIBLE



Stackable with click system

UNIVERSAL case insert



Symbol pictures - without content

RUNPOCAM RC2 case insert



RT 2008 case insert



RM35 case insert



RUNPOTEC SYSTEM-CASE

System case with UNIVERSAL, RUNPOCAM RC 2, RT 2008 or RUNPOMETER RM35 case insert. Perfect for storing and transporting of the previously mentioned RUNPOTEC products.

One advantage is the **fast click system**, which allows the boxes to be connected to each other without effort and disconnected again at the push of a button. The boxes are easily stackable thanks to the **quick click system**.

The **W-BOXX** can be seamlessly integrated into the **Sortimo Globelyst system**.

The high-quality and lightweight W-BOXX made of PP plastic is impact and shock resistant and splash-proof.

Accessoires Components		item no.	Rec. trade price
		RUNPOTEC system case with case insert for RT 2008	20611 52,80 €
		RUNPOTEC system case with case insert for RUNPOCAM RC2	20612 52,80 €
		RUNPOTEC system case with UNIVERSAL case insert (For XB 300 + multifunction mandrel + RUNPO 5)	20613 52,80 €
		RUNPOTEC system case with RUNPOMETER RM 35 case insert (for RUNPOMETER RM 35 incl. accessories)	20708 52,80 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022.
All illustrations are symbol photos. Typing and printing errors reserved.



Profi cable roller XB 500



X BOARD mandrel
Ø 45 mm
Removable for
small drums

**MULTIMANDREL
COMPATIBLE**



**RUNPOMETER
RUNPOSTICKS
COMPATIBLE**



Ø 500 mm



Possible applications



Possible applications in combination with RUNPOSTICKS



Fix light drums



Helps filling of large drums on to the X BOARD

Item	Item no.	Rec. trade price
X BOARD – Profi cable roller XB 500 – Ø 500 mm Load bearing capacity 800 kg	10136	234,00 €
introductory price		


The compact X BOARD – XB 500 is a universal, professional device for winding in/out cable drums featuring all types of cables and pipes (single core lines, cable rings, cable drums, empty conduits, ropes and rope drums).

It enables trouble-free and efficient working without the tangled cables.

The X BOARD – XB 500 can bear loads of up to 800 kg and is suitable for almost all types of drum.

Especially ideal for damaged cable drums.

12 rubber feet ensure a non-slip and secure standing position. Ideal for protecting already completed flooring surfaces. The height-adjustable lid is perfectly designed to secure loose cables, cable rings or pipes in the X BOARD XB 500; this prevents uncontrolled cable winding.

Spare part	Item no.	Rec. trade price
 X BOARD mandrel for X BOARD XB 300 and XB 500	20632	9,80 €

Cable drum roller PRO 530 | PRO 670



**RUNPOMETER
COMPATIBLE**

Extra strong bearings



Castors can be retrofitted



Item	Item No.	Rec. trade price
Cable drum roller – pre-assembled, incl. support rollers Load bearing capacity 215 kg		
PRO 530 - max. drum width 53 cm	10134	186,90 €
PRO 670 - max. drum width 67 cm	10135	219,40 €

The innovative quality cable drum unwinder from RUNPOTEC, made of light and solid die-cast and extruded aluminium with robust, adjustable support rollers, is also excellently suited for the highest loads in daily use. The support rollers with spring core axles can be easily adjusted to accommodate a wide range of cable drum sizes up to max. Ø 1000 mm thanks to gap adjustment to 85, 160, 225, 290, 310 and 335 mm. The sealed support roller bearings provide protection against contamination and corrosion and thus guarantee maintenance-free running characteristics. The four compact feet made of high-quality plastic always give the cable drum unwinder stable and non-slip based and protect finished floor coverings. The high-quality and functional design with elaborate technology guarantees a long service life. **Cable drum unwinders PRO 530 and PRO 670 can be retrofitted with castors!**

Accessoires Components	Item no.	Rec. trade price
<p>Castors in a 4-part set 4 piece with parking brakes PU = 4 x castors</p>	20623	72,80 €
<p>Unwind roll 530 for cable drum roller PRO 530 Roller length 530 mm</p>	20609	28,10 €
<p>Unwind roll 670 for cable drum roller PRO 670 Roller length 670 mm</p>	20610	30,30 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

Roll-off rails AS 900

 VIDEO



Roll-off rails AS 900




 1700 KG

 BEST OF APPROX. STAINLESS STEEL



RUNPOMETER COMPATIBLE



Possible application



1
Roll-off brake open



2
Roll-off brake closed

Item	Item no.	Rec. trade price
Roll-off rails AS 900 In a 2-part set 2 piece max. drum weight 1700 kg (wooden drum)	10142	815,00 €

The AS 900 unwinding rails are designed for safe unwinding of heavy cable material and cable drums from 450 mm to 2000 mm diameter. One of the two heavy duty rollers can be positioned in 3 different settings. The stable stainless steel-aluminium construction with high-quality, maintenance-free, ball bearing heavy-duty support rollers ensure a long service life. Easy and quick change of drums due to the unwinding brake. Due to their two-part narrow design they are easy to use in cramped spaces. Especially recommended where different cable types are to be processed side by side within a short time. Since some of the drums are in very poor condition, the recommended working load bearing capacity of 800 kg should not be exceeded.

RUNPOLIFTER 4500 SET drum shaft and centring cones



SCOPE OF DELIVERY:

- 1 x Lifting support right
- 1 x Lifting support left
- 1 x Drum shaft
- 2 x Centring cones




RUNPOMETER COMPATIBLE

Foldable
Compact – easy transportation
Only 22 kg per lifting support

Item	Lifter Sets	Shaft length	Item no.	Rec. trade price
The RUNPOLIFTER 4500 is a foldable cable drum lifter that is capable of lifting drums with a maximum diameter of 1600 mm and a maximum weight of 4500 kg and a max. width of 1250 mm. The two included centring cones each have a quick-fastener. Drums with a central hole up to Ø 115 mm can be fixed.	Lifter 1150	1150 mm	10162	2610,00 €
	Lifter 1350	1350 mm	10163	2650,00 €
	Lifter 1600	1600 mm	10164	2690,00 €
Accessories Components			Item no.	Rec. trade price
<p>Drum shaft Ø 54 mm High strength hollow shaft, Integrated Heavy duty plain bearing, Stainless steel security mount, High weight saving</p> <p>Length 1150 mm – 11,00 kg - lifting capacity 4.500 kg Length 1350 mm – 12,50 kg - lifting capacity 4.500 kg Length 1600 mm – 14,30 kg - lifting capacity 4.500 kg Special lengths possible on request</p>				
<p>Centring cones (2 pieces) with quick-fastener Drum central hole up to Ø 115 mm</p>			10147	132,00 €
<p>Lifter transport wheels 4 wheels including mounting screws (optionally retrofittable)</p>			20711	134,80 €
<p>Lifting supports – RUNPOLIFTER 4500 1 piece on the left + 1 piece on the right</p>			10161	2030,00 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.



Application examples: Drum wavelengths for suitable drum widths

Length **1600 mm** for drum width **up to 1250 mm**

Length **1350 mm** for drum width **up to 1000 mm**

Length **1150 mm** for drum width **up to 800 mm**

A drum diameter mm	610	710	810	910	1010	1210	1410	1610	1810
B drum width mm	490	520	520	690	710	890	890	1100	1100

cable diameter mm Cable lengths in m on a drum

	6	1113	2024	2755					
CAT5/6/7	7	845	1481	2340					
Coaxial	8	637	1064	1463	2731				
3 x 1,5 mm ²	9	472	892	1152	2202	2866			
3 x 2,5 mm ²	10	386	677	980	1768	2349			
5 x 2,5 mm ²	11	314	564	761	1404	1912			
1 x 25 mm ²	12	253	468	643	1206	1540			
	13	237	385	542	1032	1339	2727		
1 x 35 mm ²	14		364	454	881	1159	2265	2967	
7 x 2,5 mm ²	15		297	430	749	1000	1991	2479	
1 x 50 mm ²	16		239	358	632	860	1756	2205	
5 x 6 mm ²	17		226	294	603	736	1545	1959	
1 x 95 mm ²	18		218	281	505	705	1355	1737	
3 x 16 mm ²	19		172	228	485	599	1184	1535	2722
10 x 2,5mm ²	20		165	219	402	576	1139	1352	2435
5 x 10 mm ²	21		159	211	387	485	991	1304	2172
4 x 16 mm ²	22		122	167	315	468	856	1145	1931
	23		117	161	304	389	827	999	1869
5 x 16 mm ²	24		113	156	294	377	709	967	1657
1 x 185 mm ²	25		110	151	285	365	688	639	1608
3 x 35 mm ²	26		80	116	226	299	668	814	1419
3 x 50 mm ²	27		78	113	221	290	567	700	1244
1 x 240 mm ²	28		76	109	215	282	551	681	1211
24 x 2,5 mm ²	29		73	106	209	226	462	663	1180
5 x 35 mm ²	30		71	103	162	220	450	564	1028
4 x 50 mm ²	31			76	157	214	438	550	1003
1 x 300 mm ²	32			74	153	209	428	537	866
40 x 2,5 mm ²	33			72	150	204	352	451	846
	34				146	158	344	441	828
3 x 95 mm ²	35				108	154	336	431	707
5 x 50 mm ²	36				105	151	329	422	692
4 x 70 mm ²	37				103	148	265	348	678
3 x 120 mm ²	38					144	259	341	664
	39					107	254	334	560
4 x 95 mm ²	40					105	249	327	549
5 x 70 mm ²	41					102	244	264	539
3 x 150 mm ²	42					100	190	259	529
4 x 120 mm ²	43						187	254	437
	44						183	249	430
	45						180	245	422
5 x 95 mm ²	46						177	240	415
3 x 185 mm ²	47						174	187	408
	48						129	184	330
4 x 120 mm ²	49						127	181	325
5 x 120 mm ²	50						125	178	319
	51						123	175	314
3 x 240 mm ²	52						121	172	310
	53							170	305
4 x 185 mm ²	54							126	230
	55							124	235
	56							122	232
	57							121	228
	58							119	225
5 x 150 mm ²	59							117	222
3 x 240 mm ²	60								219
	61								216

The cable examples shown correspond to the load capacity of the RUNPOLIFTER (less than 4500 kg).

Source: Leading cable dealers. All information are non-binding.

RUNPOCAM RC2

Multifunction-inspection-camera

10 m, 30 m and 50 m length



W-BOX® | Sortimo COMPATIBLE

Multifunction-inspection-camera - compatible with all RUNPOTEC products with RTG Ø 6 mm thread

INCLUDED ACCESSORIES:

- A** RUNPOGLIDER with front thread
- B** SYSTEMGLIDER
- C** High-performance 320-lumen rechargeable LED lamp
- D** Micro memory card 8 GB / adapter
- E** Magnet fishing-set
- F** Connection thread set, RTG Ø 6 mm (Blind cap, inside and outside connection thread)
- G** Stainless steel fishing hook
- H** Dual-USB charging adapter 12 V
- I** Flexible attachment 12 cm
- J** USB / Micro-USB charging cable 3 m
- K** Dual-USB charging adapter 230 V
- L** RC 2 thread attachment
- M** USB / Micro-USB charging cable 1 m



Item	Length	Item no.	Rec. trade price
RUNPOCAM RC 2	10 m	10139	523,90 €
Multifunction-inspection-camera in system-case	30 m	10140	565,90 €
	50 m	10141	607,90 €

Application: For pipe inspectionen for long distances up to 50m – but also for bigger pipe diameters (etc.). Minimum inner diameter of the conduit Ø 14 mm.

In combination with the RUNPOSTICKS outstanding for suspended ceilings, shafts, ventilation- and equipment inspection. Evidence gathering, recording function foto-, video- and audio documentation! Operation up to 6 hours.

Multifunction-inspection-camera with 6 integrated LED (**camera probe IP rating IP67**), enclosed in robust stainless steel head (Ø 13 mm) with RTG Ø 6 mm inside connecting thread – compatible to all RUNPOTEC products with RTG Ø 6 mm thread.



SPECIAL OFFER

- 1 x Profi-Set fiberglass rod Ø 4,5 mm, 50 m
▶ description page 34
- 1 x RUNPOCAM RC2, 50 m

INSTEAD OF € 908,²⁵

€ **789,-**

plus tax
RUNPOCAM RC2 - 50 m - fiberglass rod 50 m
RUNPOTEC item no. 11140

Compatible with the following RUNPOTEC products














POWER REX	RUNPOSTICKS	RUNPO 1	PROFI-SET / STANDARD-SET Ø 4,5 mm, 6 mm	FIBERGLASS ROD Ø 7,5 mm, 9 mm, 11 mm, 15 mm

Application examples – evidence gathering/recording function – foto, video and audio








Combination version – Compatible with all RUNPOTEC products with RTG Ø 6 mm thread



Item	Item no.	Rec. trade price
	<p>RC 2 camera probe with cable Ø 13 mm IP 67 RTG Ø 6 mm incl. camera reel 10 m 30 m 50 m</p> <p>camera reel RC 2 (Image 2)</p>	<p>20593 207,80 € 20560 291,00 € 20559 334,80 € 20608 28,10 €</p>
 <p>Detail: Micro-USB charging socket</p>	<p>High-performance 320-lumen rechargeable LED lamp 2 x RUNPOTEC RTG Ø 6 mm thread (1 x vertical and 1 x horizontal) micro-USB charging socket for battery, IP67</p>	<p>20485 44,80 €</p>
	<p>Systemglider RC2 L 130 mm B 58 mm H 53 mm RUNPOTEC RTG Ø 6 mm front thread</p>	<p>20606 21,30 €</p>
	<p>RUNPOGLIDER with thread and swivel RUNPOTEC RTG Ø 6 mm thread</p>	<p>20460 30,40 €</p>
	<p>Flexibel camera probe 0,8 m Ø 9 mm for RUNPOCAM 300.000 pixel (720 x 576) Field of view 64°, IP rating IP 67 4 x LED (dimnable)</p>	<p>20481 66,90 €</p>
 <p>EXTRA SLIM Ø 3,9 MM</p>	<p>Flexibel camera probe 1 m Ø 3,9 mm for RUNPOCAM 100.000 pixel (320 x 240) Field of view 54°, IP rating IP 67 2 x LED (dimnable)</p>	<p>20488 133,10 €</p>
	<p>RC2 thread attachment L 101 mm B 16 mm H 19 mm RUNPOTEC RTG Ø 6 mm front thread</p>	<p>20607 16,30 €</p>
	<p>Micro memory card 8 GB incl. card adapter</p>	<p>20483 6,60 €</p>
	<p>Magnet fishing-set 1,5 – 2,9 kg (pipe-Ø 16 – 40 mm)</p>	<p>20475 22,00 €</p>
	<p>Connection thread set RUNPOTEC RTG Ø 6 mm thread (set of 3 = 1 x inside, 1 x outside, 1 x blindcap)</p>	<p>20484 9,10 €</p>
	<p>Functionglider with RTG Ø 6 mm (Image 1)</p> <p>Stainless steel fishing hook with RTG Ø 6 mm (Image 2)</p>	<p>20468 19,70 € 20261 6,40 €</p>
	<p>Flexible attachment 12 cm stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	<p>20509 7,50 €</p>
	<p>RUNPOTEC systemcase with RUNPOCAM RC2 case insert</p>	<p>20612 52,80 €</p>

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

	Item	Item no.	Rec. trade price
	<p>Cable lubricant - GEL 1000 gl</p> <p>Not flammable friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.</p>	30064	8,90 €
	<p>Cable lubricant - GEL 250 g</p> <p>Not-flammable friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.</p>	30467	4,40 €
 <p>NON-INFLAMMABLE</p>	<p>Cable lubricant - SPRAY 400 ml</p> <p>Special attachment – spray large areas or open the tube for precise streams.</p> <p>Not flammable excellent lubrication, non-stick, non-drying, colourless, odourless.</p>	20523	8,20 €
 <p>NON-INFLAMMABLE</p>	<p>Cable lubricant - FOAM 400 ml</p> <p>Special attachment – spray large areas or open the tube for precise streams.</p> <p>Not flammable excellent lubrication, water-soluble, non-stick, non-drying, VOC-free.</p>	20522	7,10 €
	<p>Cable lubricant - LIQUID 1000 ml</p> <p>Not flammable! friction-reducing, non-stick and non-staining, colour- and odourless, water soluble</p>	30063	7,20 €

RUNPO 5 with box

Triple twisted and 2 x



Triple twisted



NEW RUNPOGLIDER NOW WITH SWIVEL!



Beginning

Ending



RUNPOGLIDER with swivel Ø 7 mm
• pressed onto strand •



Achtung!
Stromleitend
Achtung!
electric
conductive




RUNPOGLIDER with swivel Ø 7 mm
• pressed onto strand •

Item	Ø	Length	Item no.	Rec. trade price
RUNPO 5 incl. 2 x RUNPOGLIDER with swivel, triple twisted special plastic tape, outside Ø 5,3 mm, tension load: 270 kg	5,3 mm	20 m	10013	140,00 €
		30 m	10014	157,00 €

Recommended tube diameter, bending radius and tension loads of the RUNPO 5

Ø			
5,3 mm	16-40 mm	15 mm	incl. swivel 270 Kg

Advantages of the RUNPO 5



only punctual contact

50% less friction resistance



strand + pressing + RUNPOGLIDER + eyelet

270 Kg total breaking load



Virtually break-free
even with tightest radii



Advantages compared to fiberglass rod

- ▶ no buckling
- ▶ no sticking
- ▶ thereby time savings

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.



SPECIAL OFFER

- 1 x X BOARD XB300 with multi-function mandrel in RUNPOTEC system case, ▶ description page 8
- 1 x RUNPO 5, 30 m

INSTEAD OF € 375,60

€ 305,-
plus tax.

RUNPO 5 – XB 300 – MULTISSET – offer
RUNPOTEC item no. 10171



SPECIAL OFFER

- 1 x Profi-Set fiberglass rod Ø 4,5 mm, 60 m incl. steel cage ▶ description page 34
- 1 x RUNPO 5, 30 m

INSTEAD OF € 478,-

€ 374,-
plus tax.

RUNPO 5 – PROFI-SET 60 m – offer
RUNPOTEC item no. 11120

Item	Item no.	Rec. trade price	
<p>RUNPO 5 without box Ø 5,3 mm 2 x RUNPOGLIDER with swivel triple twisted special plastic tape outside Ø 5,3 mm, tension load: 270 kg</p> <p>20 m 30 m 40 m</p>	20240 20241 20242	106,60 € 123,50 € 140,30 €	
<p>RUNPOTEC system-case with UNIVERSAL case insert</p>	20613	52,80 €	
<p>RUNPO 5 - empty BOX</p>	30146	33,70 €	
<p>Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 5</p>			
<p>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</p>	<p>Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 15 mm</p>	20272 20273 20274	25,20 € 27,80 € 32,00 €
<p>Example: The cap protects the plug from damage or pulling several cables together - see page 30</p>	<p>RUNPOFIX with hook – SET outside Ø 14 17 23 30 mm stainless steel PU = 4 RUNPOFIX</p> <p>VIDEO RUNPOFIX</p>	10159	39,80 €

Information



Cable pulling grip range see page 32

RUNPOSTICKS





Comfort (19 parts) / Standard (17 parts)





















**RUNPOCAM
COMPATIBLE**



Item	Ø	Length	Item no.	Rec. trade price
RUNPOSTICKS Comfort (19 parts) 10 x 1 meter RUNPOSTICKS, basalt rods with extreme bending radius, with stainless steel RUNPOTEC RTG Ø 6 mm thread, 5 x red/hard, 3 x black/medium, 2 x yellow/soft, 1 x RUNPOGLIDER, 1 x strong magnet, 1 x ball chain, 1 x eyelet with ring, 1 x fishing hook, 1 x connection thread, 1 x storage bag with shoulder strap for all the accessories. Contains additionally a special sliding hook and shockproof LED-lamp	4,5 mm (yellow)	2 x 1m	10020	138,00 €
	5,5 mm (black)	3 x 1m		
	7,5 mm (red)	5 x 1m		
RUNPOSTICKS Standard (17 parts) Content: same as RUNPOSTICKS Comfort (see above) without special sliding hook and shockproof LED-lamp.			10016	116,00 €

Item	Item no.	Rec. trade price
 Stainless steel special sliding hook manages barriers up to 8 cm, many mounting possibilities for cable, excellent gliding behaviour for all surfaces RUNPOTEC RTG Ø 6 mm thread	30239	19,70 €
 Functionglider RUNPOTEC RTG Ø 6 mm thread	20468	19,70 €
 LED-Lamp very high luminosity, shockproof RUNPOTEC RTG Ø 6 mm thread	20059	20,80 €
 High-performance 320-lumen rechargeable LED lamp , micro USB charging socket, IP-rating: IP67 2 x RUNPOTEC RTG Ø 6 mm thread (1 x vertical und 1 x horizontal)	20485	44,80 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

Item	Item no.	Rec. trade price
	10042	23,00 €
 <p>Video about the RUNPOGLIDER </p>	20238	30,40 €
	10043	19,00 €
	10044	19,00 €
	10045	20,00 €
	20457	11,50 €
	20261	6,40 €
	30236	5,20 €
	20260	8,80 €
	30210	4,00 €
	20262	9,40 €
	20428 20427	6,60 € 6,60 €
 <p>Product fish hook set </p>	20614	23,60 €
	20455	16,20 €
	30009	21,30 €
 <p>Example: The cap protects the plug from damage or pulling several cables together - see page 30</p>	10154	39,80 €



RUNPO 1

Special plastic fish tape ø 4 mm with **RUNPOGLIDER**®



**RUNPOCAM
COMPATIBLE**



Ending		Beginning		
 Eyelet Ø 6 mm, RUNPOTEC RTG Ø 6 mm thread • screwed to strand •		 RUNPOGLIDER with special eyelet Ø 6 mm • pressed onto strand •		
Item	Ø	Length	Item no.	Rec. trade price
RUNPO 1 Special plastic fish tape Ø 4 mm 1 x RUNPOGLIDER with special eyelet Ending: eyelet with RTG Ø 6 mm thread Optimal pipe diameters: Tube Ø 16, 25 and 32 mm	4 mm	5 m	30027	16,20 €
		10 m	30028	17,30 €
		15 m	30029	20,80 €
		20 m	30030	24,30 €
		25 m	30042	28,90 €
		30 m	30043	33,50 €

Recommended tube diameter, bending radius and tension loads of the RUNPO 1

Ø				
4 mm	16–32 mm	15 mm	Ending RTG Ø 6 mm thread	Beginning
			170 Kg	170 Kg

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 1			
 RUNPO Z-Quick connection compatible with RUNPOGLIDER!	Ø 4 – 6 mm	20272	25,20 €
	Ø 6 – 9 mm	20273	27,80 €
	Ø 9 – 15 mm	20274	32,00 €

	eyelet-set Ø 7 mm	20487	9,10 €
-------------------------------------------------------------------------------------	-------------------	-------	---------------



RUNPO1 is not suitable for RT 2008!

1 x RUNPOGLIDER

Excellent bending and sliding performance, large eyelet with up to 7 x 2.5 mm² cable take-up, perfect workmanship, no impact edges and high traction load.

Also compatible for RUNPOCAM RC2!

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

POWER REX

Fiberglass rod with **RUNPOGLIDER®**
PATENTED FLEXIBLE SPEZIAL HEAD





**RUNPOCAM
COMPATIBLE**



NEW RUNPOGLIDER® NOW
WITH SWIVEL!

INCLUDED ACCESSORIES



Ending	Beginning
 Ending joint, stainless steel, RUNPOTEC RTG Ø 6 mm thread	 RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread, screwed to strand



Achtung!
Stromleitend
Allerhöchste
elektrische
Leitfähigkeit

Scope of delivery POWER REX / complete set





- 1 x **RUNPOGLIDER** with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread
- 1 x Fiberglass rod Ø 3 mm with 2 pressed stainless steel ending joints RTG Ø 6 mm thread
- 1 x Plastic housing
- 1 x Pulling grip
- 1 x Special glue 3 g
- 1 x Cable pulling grip 6 – 9 mm, with swivel, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 3 x Coupling joint Ø 6 mm, stainless steel
- 5 x Ending joint Ø 6 mm, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 2 x Eyelet Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread












Item	Ø	Length	Item no.	Rec. trade price
POWER REX		20 m	10087	97,00 €
Complete set in a practical box	3 mm	30 m	10088	110,00 €
see above: scope of delivery		40 m	10089	121,00 €
		50 m	10090	135,00 €











Item	Item no.	Rec. trade price	
 <p>Spare fiberglass rod Ø 3 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread</p>	20 m	20413	39,30 €
	30 m	20104	52,10 €
	40 m	20105	57,30 €
	50 m	20106	63,70 €

Recommended tube diameter, bending radius and tension loads of the POWER REX Ø 3 mm

Ø				
3 mm	16–50 mm	55 mm	450 Kg	120 Kg

   <p>Video about RUNPOGLIDER</p>	<p>RUNPOGLIDER with swivel Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (only compatible with RUNPOTEC products)</p>	20238	30,40€
	<p>RUNPOGLIDER with front thread incl. eyelet Ø 7 mm RUNPOTEC RTG Ø 6 mm thread</p>	20460	30,40 €
	<p>Magnet fishing-set 1,5 – 2,9 kg (tube-Ø 16 – 40 mm) 5 kg strong (tube-Ø 50 – 100 mm)</p>	20475 20476	22,00 € 44,60 €
	<p>Flexible starting head Ø 7 mm stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20116	7,30 €
	<p>Flexible starting head Ø 10 mm stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20303	7,60 €
	<p>Flexible starting head Ø 13 mm stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20119	7,90 €
	<p>Repairing kit for fiberglass rod Ø 3 mm 1 x Special glue 3 g 4 x Ending joint Ø 6 mm, RUNPOTEC RTG Ø 6 mm thread 3 x Coupling joint Ø 6 mm 4 x Eyelet Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread</p>	20408	22,00 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

Item	Item no.	Rec. trade price
 <p>RUNPO Z cable pulling grip with swivel stainless steel</p> <p>Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 15 mm</p> <p>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</p>	<p>20272 20273 20274</p>	<p>25,20 € 27,80 € 32,00 €</p>
 <p>Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 13 mm</p>	<p>20365 20366 20367</p>	<p>17,30 € 18,50 € 28,00 €</p>
 <p>Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm</p>	<p>20266 20267 20268 20269</p>	<p>39,20 € 40,40 € 41,70 € 43,60 €</p>
 <p>Ending joint-set for Ø 3 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 ending joints</p>	<p>20107</p>	<p>6,90 €</p>
 <p>Coupling joint-set for Ø 3 mm stainless steel PU = 3 coupling joints</p>	<p>20108</p>	<p>6,90 €</p>
 <p>Eyelet-set Ø 7 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 piece</p>	<p>20411</p>	<p>6,70 €</p>
 <p>Pull loop, stainless steel rope RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm (loop length 85 mm) Ø 2 mm (loop length 50 mm)</p>	<p>20428 20427</p>	<p>6,60 € 6,60 €</p>
 <p>Pulling grip for Ø 3 – 12 mm</p>	<p>30070</p>	<p>6,10 €</p>
 <p>Special glue 3 g</p>	<p>30050</p>	<p>8,00 €</p>
 <p>NON-INFLAMMABLE</p> <p>SPRAY 400 ml FOAM SPRAY 400 ml Non inflammable (with folding spray tube)</p> <p>GEL 1000 g GEL 250 g</p>	<p>20523 20522 30064 30467</p>	<p>8,20 € 7,10 € 8,90 € 4,40 €</p>

RT 2008 Mechanical cable pull in tool

incl. RUNPOGLIDER spiral MET



The problem solver for low pipe cross section Ø 16 – 32 mm



W-BOX® | Sortimo COMPATIBLE



1. Induct









2. Fix



3. Pump

Item / complete set	Item no.	Rec. trade price
RUNPOTEC RT 2008 – tool for pushing RUNPOGLIDER spiral MET into conduits Ø 16 , 20, 25, 32, 40 mm - Flexible attachment: 1 x Ø 20, 1 x Ø 25, 1 x Ø 32, 1 x Ø 40, 1 x attachment neutral socket flexible, 2 x plug coupling, 1 x beltclip, 1 x RUNPOTEC system case with RT 2008 case insert. RUNPOGLIDER spiral MET – 15 m	10000	291,00 €



Item	Item no.	Rec. trade price
	RUNPOTEC RT 2008 incl. clamping element	20004 173,00 €
	Set belt clip + plug coupling	20333 8,10 €
	Plug-in attachment Ø 20 mm	20020 8,50 €
	Plug-in attachment Ø 25 mm	20025 8,50 €
	Plug-in attachment Ø 32 mm	20032 8,50 €
	Plug-in attachment Ø 40 mm	20040 8,50 €
	Plug-in attachment socket flexible	20010 7,90 €
	Plug-in Attachment 90° flush connector (also for pipe Ø 20 mm)	20253 16,70 €
	RUNPOTEC system case with RT 2008 case insert	20611 52,80 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.





RUNPOGLEITER SPIRALE MET

Steel fish tape Ø 4 mm with **RUNPOGLIDER®**



Ending		Beginning		
 eyelet Ø 6 mm • pressed onto strand •		 RUNPOGLIDER with special eyelet Ø 6 mm • pressed onto strand •		
Item	Ø	Length	Item no.	Rec. trade price
RUNPOGLIDER spiral MET (MET = Metal spiral) Tension load: 170 Kg optimum diameter: Tube-Ø: 16, 25 and 32 mm	4 mm	5 m	30054	18,50 €
		10 m	30017	25,40 €
		15 m	30018	32,80 €
		20 m	30019	41,10 €
		25 m	30020	48,70 €
		30 m	30021	52,70 €
		Lengths up to 50 m possible		

Recommended tube diameter, bending radius and tension loads of the RUNPOGLIDER spiral MET

Ø				
4 mm	16-32 mm	25 mm	Ending	Beginning
			170 Kg	170 Kg

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPOGLIDER spiral MET

 RUNPO Z-Quick connection compatible with RUNPOGLIDER!		Ø 4 – 6 mm	20272	25,20 €
		Ø 6 – 9 mm	20273	27,80 €
		Ø 9 – 15 mm	20274	32,00 €



RUNPOFIX

Cable pulling loop with protective cap

Protects plugs against damage.

Minimum inner diameter of the conduits or non-guided lines \varnothing 14 mm.

Example: cable pulling loop with protective cap and cable with plug




RUNPOFIX – pulling force transferred to the cable



RUNPOFIX – protective cap for the plug



RUNPOFIX – in 4 variants for different plug sizes.





RUNPOFIX with hook




Item	Protective caps inner \varnothing	Protective caps outer \varnothing	Total breaking load	Item no.	Rec. trade price
RUNPOFIX with hook – SET stainless steel PU = 4 RUNPOFIX	12 15 20 27 mm	14 17 23 30 mm	100 kg	10159	39,80 €
RUNPOFIX with hook Cable pulling loop with protective cap stainless steel	12 mm	14 mm		20628	13,50 €
	15 mm	17 mm		20629	14,10 €
	20 mm	23 mm		20630	14,60 €
	27 mm	30 mm		20631	15,10 €

RUNPOFIX with RTG 6 mm thread




Item	Protective caps inner \varnothing	Protective caps outer \varnothing	Total breaking load	Item no.	Rec. trade price
RUNPOFIX with RTG 6 thread – SET stainless steel RUNPOTEC RTG \varnothing 6 mm thread PU = 4 RUNPOFIX	12 15 20 27 mm	14 17 23 30 mm	100 kg	10154	39,80 €
RUNPOFIX with RTG 6 thread stainless steel	12 mm	14 mm		20624	13,50 €
	15 mm	17 mm		20625	14,10 €
	20 mm	23 mm		20626	14,60 €
	27 mm	30 mm		20627	15,10 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.



RUNPO Z


RUNPO Z cable pulling grip with swivel and additional quick connection.
 Made of high quality stainless steel weave with extended service lifetime!
 Tension load 200 Kg.
Connectable with RUNPO 5, RUNPO 1, POWER REX, RUNPOSTICKS, fiberglass rod Ø 4,5 mm and 6 mm.



①

②

Item	Weave length	Total breaking load	Ø	Item no.	Rec. trade price
RUNPO Z cable pulling grip with swivel stainless steel	280 mm	200 kg	Ø 4 – 6 mm	20272	25,20 €
	310 mm		Ø 6 – 9 mm	20273	27,80 €
	460 mm		Ø 9 – 15 mm	20274	32,00 €




Cable pulling grip with RTG Ø 6 mm thread and swivel.
 Made of high quality stainless steel weave with extended service lifetime!
Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.

Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.




Item	Weave length	Total breaking load	Ø	Item no.	Rec. trade price
Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread	200 mm	120 kg	Ø 4 – 6 mm	20365	17,30 €
	220 mm		Ø 6 – 9 mm	20366	18,50 €
	320 mm		Ø 9 – 13 mm	20367	28,00 €



Cable pulling grip with loop and swivel.
 Made of high quality stainless steel weave with extended service lifetime!
Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.

Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Total breaking load	Ø	Item no.	Rec. trade price
Cable pulling grip with loop and swivel loop length 100 mm, stainless steel	270 mm	200 kg	Ø 4 – 6 mm	30039	20,10 €
	290 mm		Ø 6 – 9 mm	30040	22,10 €
	390 mm		Ø 9 – 13 mm	30041	34,10 €



Cable pulling grip with loop and RTG Ø 6 mm thread incl. swivel. Made of high quality stainless steel weave. High material quality with extended lifetime! **Connectable with POWER REX, RUNPOSTICKS and Fiberglass rod Ø 4,5 mm, Ø 6 mm, Ø 7,5 mm, Ø 9 mm und Ø 11 mm.**
Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.

Item	Weave Length	Total breaking load	Ø	Item no.	Rec. trade price
Cable pulling grip with loop and thread incl. swivel RUNPOTEC RTG Ø 6 mm thread stainless steel	430 mm	180 kg	Ø 9 – 15 mm	20266	39,20 €
	480 mm		Ø 15 – 19 mm	20267	40,40 €
	480 mm		Ø 19 – 25 mm	20268	41,70 €
	530 mm		Ø 25 – 31 mm	20269	43,60 €

Accessories	Item no.	Rec. trade price
 RUNPO Z Adapter RUNPOTEC RTG Ø 6 mm thread RUNPO Z Adapter can connect all cable pulling grips with RTG Ø 6 mm to all RUNPOGLIDER eyelets	20388	21,30 €



Cable pulling grip with loop and swivel - preferably combined with fiberglass rod
 Made of high quality stainless steel weave. High material quality with extended service lifetime!
Connectable with RUNPOTEC RTG Ø 12 mm and RTG Ø 6 mm thread.
Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.


Item	Weave Length	Total breaking load	Ø	Item no.	Rec. trade price
Cable pulling grip with loop and thread incl. swivel RUNPOTEC RTG Ø 12 mm thread and additional thread RTG Ø 6 mm stainless steel	920 mm	1200 kg	Ø 30 – 40 mm	20436	60,10 €
	1020 mm		Ø 40 – 50 mm	20437	63,70 €
	1120 mm		Ø 50 – 60 mm	20438	68,30 €
	1220 mm		Ø 60 – 70 mm	20439	76,40 €
	1320 mm		Ø 70 – 85 mm	20440	90,20 €
	1420 mm		Ø 85 – 100 mm	20441	106,50 €




Cable pulling grip with loop (preferably combined with capstan winch CW 800 E)
 Cable grip with loop. Made of flexible, galvanized steel double weave. For permanent pulling it is recommended to work in combination with the connection swirl (Item nr. 10176).

Item	Weave Length	Total breaking load	Ø	Item no.	Rec. trade price
Cable pulling grip with loop in combination with capstan winch CW 800 E Flexible double steel wire braid - Long service life	600 mm	1019 kg	Ø 10 - 15 mm	20661	39,30 €
	600 mm	2080 kg	Ø 15 - 20 mm	20662	40,40 €
	600 mm	2080 kg	Ø 20 - 25 mm	20663	41,60 €
	1000 mm	2080 kg	Ø 25 - 30 mm	20664	46,00 €
	1250 mm	3059 kg	Ø 30 - 40 mm	20665	51,70 €
	1250 mm	4078 kg	Ø 40 - 50 mm	20666	57,40 €
	1500 mm	4996 kg	Ø 50 - 60 mm	20667	66,30 €
	1500 mm	4996 kg	Ø 60 - 70 mm	20668	77,60 €
	1500 mm	4996 kg	Ø 70 - 85 mm	20669	91,00 €
	1500 mm	5812 kg	Ø 85 - 100 mm	20670	103,40 €

**CAPSTAN WINCH
CW 800 E
COMPATIBLE**



Accessories	Item no.	Rec. trade price
 connection swirl with swivel Ø 30 mm L 144 mm stainless steel tension load 1500 kg fork-Ø 12 mm	10176	190,00 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022.
 All illustrations are symbol photos. Typing and printing errors reserved.

Cabel examples with diameters

Cabel pulling grip

Cable-symbolphoto	Cable Ø	Cable section	Cable identification	Ø	Item no.
	5 mm	2 x 0,5 mm ²	Loudspeaker	4-6 mm	20272
	5,4 mm	-	Phone	4-6 mm	20365
					4-6 mm
	7 mm	-	CAT5/6/7	6-9 mm	20273
	7 mm	1 x 6 mm ²	NYM-J	6-9 mm	20366
	8 mm	-	Coaxial	6-9 mm	30040
	9 mm	3 x 1,5 mm ²	NYM-O		
	10 mm	3 x 2,5 mm ²	NYM	9-13 mm	20367
	10 mm	1 x 10 mm ²	NYY-O	9-13 mm	30041
	10 mm	1 x 16 mm ²	NYM-O	9-15 mm	20274
	11 mm	7 x 1,5 mm ²	NYM-O	9-15 mm	20266
	11 mm	5 x 2,5 mm ²	NYM	10 - 15 mm	20661
	11 mm	5 x 1,5 mm ²	NYY		
	13 mm	3 x 2,5 mm ²	NYY		
	14 mm	1 x 35 mm ²	NYY-O		
	15 mm	12 x 1,5 mm ²	NYM-JZ		
	15 mm	7 x 2,5 mm ²	NYM		
	15 mm	3 x 6 mm ²	NYM-J		
	15 mm	-	CAT6 duplex		
	17 mm	16 x 1,5 mm ²	NYM-J	15-19 mm	20267
	17 mm	5 x 6 mm ²	NYM-J	15 - 20 mm	20662
	18 mm	4 x 10 mm ²	NYM-J		
	18 mm	1 x 95 mm ²	NYY-O		
	20 mm	10 x 2,5 mm ²	NYCY	19-25 mm	20268
	21 mm	5 x 10 mm ²	NYY-J	20 - 25 mm	20663
	22 mm	12 x 2,5 mm ²	NYCY		
	22 mm	4 x 16 mm ²	NYM-J		
	24 mm	7 x 6 mm ²	NYCY		
	25 mm	1 x 185 mm ²	NYY-O		
	28 mm	3 x 35 mm ²	NYCWY	25-31 mm	20269
	29 mm	24 x 2,5 mm ²	NYCY	25 - 30 mm	20664
	32 mm	1 x 300 mm ²	NYY-O	30-40 mm	20436
	33 mm	40 x 2,5 mm ²	NYY-JZ		20665
	34 mm	5 x 35 mm ²	NYM-J		
	40 mm	3 x 95 mm ²	NYCWY		
	45 mm	3 x 120 mm ²	NYCWY	40-50 mm	20437
	47 mm	3 x 150 mm ²	NYCWY		20666
	52 mm	5 x 95 mm ²	NYY-J	50-60 mm	20438
	54 mm	3 x 185 mm ²	NYCWY		20667
	60 mm	3 x 240 mm ²	NYCWY		
	63 mm	4 x 240 mm ²	NYY-J	60-70 mm	20439
					20668

Fiberglass rod Ø 4,5 mm with steel cage incl. the new double run-out system

Profi-Set

included accessories

VIDEO

Fiberglass rod Ø 4,5 mm



Standard-Set

without accessories



RUNPOCAM COMPATIBLE



Ending Profi Set and Standard Set

Ending joint, stainless steel, RUNPOTEC RTG Ø 6 mm thread



Beginning: Profi-Set and Standard Set

RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread

- screwed to strand



Achtung! Stromleitend
Achtung!
electric
conductive



Ø	Length	Profi-Set equipment	Item no.	Rec. trade price	Standard-Set equipment	Item no.	Rec. trade price
4,5 mm	30 m	• double-run-out system	10052	245,00 €	• double-run-out system	10054	180,00 €
	40 m	• extractable standing feet	10055	272,00 €	• robust steel cage	10056	206,00 €
	50 m	• storage compartment	10057	297,00 €	• locking brake	10058	230,00 €
	60 m	• robust steel cage	10047	321,00 €		10048	255,00 €
	80 m	• locking brake	10050	373,00 €		10051	306,00 €
		• extensive accessories (see below)					

Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)

- 2 x ending joint
- 1 x coupling joint
- 1 x shackle
- 1 x special glue
- 1 x aluminium roller
- 1 x RUNPOGLIDER with front thread



The **Profi-Set** features extendable standing feet and storage compartment incl. accessories.



All Profi and Standard sets are equipped with a lateral locking brake and **the new double-run-out system** (quick outlet and automatic run-out brake) from RUNPOTEC!



Quick run with rollers



automatic run-out brake

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.


+


SPECIAL OFFER

1 x Profi-Set fiberglass rod Ø 4,5 mm, 60 m incl. steel cage

1 x RUNPO 5, 30 m
▶ description page 20




INSTEAD OF € 478,-








€ 374,-
plus tax














RUNPO 5 - PROFI-SET 60 m – offer
RUNPOTEC Item no. 11120

Item	Item no.	Rec. trade price	
	Spare fiberglass rod Ø 4,5 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread		
	30 m	20311	77,70 €
	40 m	20312	92,40 €
	50 m	20313	107,00 €
	60 m	20314	123,80 €
	80 m	20315	153,00 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 4,5 mm

\varnothing			
4,5 mm	30 – 80 mm	120 mm	1300 Kg

 <p>RUNPOGLIDER with thread and swivel Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (Only compatible with RUNPOTEC products)</p> <p>Video about the RUNPOGLIDER </p>	20460	30,40 €
 <p>Flexible starting head stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 7 mm Ø 10 mm Ø 13 mm</p> <p>SYMBOL PICTURE</p>	20116 20303 20119	7,30 € 7,60 € 7,90 €
 <p>Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Information  Cable pulling grip range see page 32</p>	20266 20267 20268 20269	39,20 € 40,40 € 41,70 € 43,60 €
 <p>Roller Ø 25 mm aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20279	17,40 €
 <p>Shackle stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20280	14,50 €

Item	Item no.	Rec. trade price
	Repair kit for Ø 4,5 mm 1 x Special glue 3 g 2 x Ending joint, RTG Ø 6 mm 1 x Coupling joint	20250 21,30 €
	Ending joint set for Ø 4,5 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 ending joint	20322 10,60 €
	Coupling joint set for Ø 4,5 mm stainless steel PU = 3 coupling joint	20323 13,40 €
	Eyelet Ø 8 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	30208 4,60 €
	Eyelet-set Ø 7 mm	20487 9,10 €
	Swivel joint stainless steel, RUNPOTEC RTG Ø 6 mm thread	20251 22,80 €
	Pull loop , stainless steel rope RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm (loop length 85 mm) Ø 2 mm (loop length 50 mm)	20428 6,60 € 20427 6,60 €
	Special glue 3 g	30050 8,00 €
	2 components special glue 24 ml	30067 19,70 €
	Pulling grip for Ø 3 – 12 mm	30070 6,10 €
	Extendable standing feet and storage compartment PU = 1 piece	20278 40,40 €
	Profi steel cage for Ø 4,5 mm incl. double run-out system with extendable standing feet and storage compartment for accessories galvanized/powder coated Ø 330 mm	20402 173,00 €
	Steel cage for Ø 4,5 mm incl. double run-out system galvanized/powder coated Ø 330 mm	20002 125,80 €

Information

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

Fiberglass rod Ø 6 mm with steel cage incl. the new double-run-out system

Profi-Set

included accessories



Standard-Set

without accessories



**RUNPOCAM
COMPATIBLE**

incl. Accessories



Ending: Profi-Set and Standard-Set

Ending joint, stainless steel,
RUNPOTEC RTG Ø 6 mm thread



Beginning: Profi-Set and Standard-Set

RUNPOGLIDER with swivel Ø 7 mm,
RUNPOTEC RTG Ø 6 mm thread

- screwed to strand •



ATTENTION !
conducteur
Attention !
électrique
conductive



Ø	Length	Profi-Set equipment	Item no.	Rec. trade price	Standard-Set equipment	Item no.	Rec. trade price
6 mm	40 m	• double-run-out system	10059	303,00 €	• double-run-out system	10060	249,00 €
	50 m	• extractable standing feet	10061	329,00 €	• robust steel cage	10062	275,00 €
	60 m	• storage compartment	10063	360,00 €	• locking brake	10064	306,00 €
	80 m	• robust steel cage	10065	422,00 €		10066	369,00 €

Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)

- 2 x ending joint
- 1 x coupling joint
- 1 x shackle
- 1 x special glue

- 1 x aluminium roller
- 1 x RUNPOGLIDER with front thread



The **Profi-Set** features extendable standing feet and storage compartment incl. accessories.

















All Profi and Standard sets are equipped with a lateral locking brake and **the new double-run-out system** (quick outlet and automatic run-out brake) from RUNPOTEC!














Item	Item no.	Rec. trade price	
 <p>Spare fiberglass rod Ø 6 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread</p>	40 m	20317	100,00 €
	50 m	20318	121,90 €
	60 m	20319	139,50 €
	80 m	20320	177,10 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 6 mm

Ø			
6 mm	40 – 100 mm	168 mm	2200 Kg

 <p>RUNPOGLIDER with thread and swivel incl. eyelet Ø 7 mm RUNPOTEC RTG Ø 6 mm thread</p> <p>Video about the RUNPOGLIDER </p>	20460	30,40 €
 <p>Flexible starting head Ø 7 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20116	7,30 €
 <p>Flexible starting head Ø 10 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20303	7,60 €
 <p>Flexible starting head Ø 13 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20119	7,90 €
 <p>Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Information Cable pulling grip range see page 32</p>	Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm	20266 39,20 € 20267 40,40 € 20268 41,70 € 20269 43,60 €
 <p>Roller Ø 25 mm, aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20279	17,40 €
 <p>Shackle stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20280	14,50 €
 <p>Eyelet Ø 8 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	30208	4,60 €
 <p>Eyelet-set Ø 7 mm</p>	20487	9,10 €
 <p>Swivel joint stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20251	22,80 €

Item	Item no.	Rec. trade price
 <p>Repair manual www.runpotec.com</p>	20252	38,20 €
	20316	11,80 €
	20321	13,40 €
	20428	6,60 €
	20427	6,60 €
	30050	8,00 €
	30067	19,70 €
	30070	6,10 €
	20278	40,40 €
	20403	219,10 €
	20300	160,90 €

Information

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

Flexible leading head-set – RUNPOSTICKS 13 parts




Item	Item no.	Rec. trade price
Flexible leading head-set – RUNPOSTICKS 13 parts Included accessories of flexible leading head-set with RUNPOTEC RTG Ø 6 mm thread: 2 x RUNPOSTICKS Ø 4,5 mm, 2 x RUNPOSTICKS Ø 5,5 mm, 2 x RUNPOSTICKS Ø 7,5 mm, RUNPOGLIDER w. front thread, roller Ø 25 mm, 3 x coupling joint, blindcap, starting head Ø 20 mm	20442	96,10 €

Flexible leading head-set: can be adapted on **roller, shackle, starting head** Ø 20 mm, Ø 30 mm



Description



The RUNPOSTICKS can each be extended by 1 m and adapted as **flexible leading head-set** on fiberglass rods Ø 7,5 / 9 and 11 mm to get **around narrow bends**. It is **additionally possible** to screw on accessories such as the roller or RUNPOGLIDER at the tip with compensation for angular movement.

Application example: flexible leading head-set



Fiberglass rod Ø 7,5 - 9 or 11 mm stops at to narrow radii from of the tube.

Taper off through the flexible RUNPOSTICKS Ø 4,5 mm (yellow), Ø 5,5 mm (black) or Ø 7,5 mm (red). Thereby it makes it possible to get over the last bend or radii.

Additional manual haul support possible.


All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

Fiberglass rod Ø 7,5/9 mm with wheeled steel cage incl. new double-run-out system

INCLUDES NEW DOUBLE RUN-OUT SYSTEM




automatic run-out brake



Quick run with mounted rollers

Additional option:
Flexible leading head - set
see page 40



Adaptable leading heads



METERCOUNTER standard feature for all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm



VIDEO

Fiberglass rod
Ø 7,5 mm, 9 mm
and 11 mm

INCLUSIV ACCESSORIES:

- 1 x Mobile fiberglass rod incl. double run-out system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides (Beginning/Ending)

Ending



Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread

Beginning

















Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread
• screwed to strand •

Ø	Cage	Length	Item no.	Rec. trade price
7,5 mm	wheeled Ø 730 mm	40 m	10076	429,00 €
		50 m	10077	449,00 €
		60 m	10078	468,00 €
		80 m	10079	508,00 €
		100 m	10080	543,00 €
		120 m	10091	575,00 €
Ø	Cage	Length	Item no.	Rec. trade price
9 mm	wheeled Ø 730 mm	40 m	10081	433,00 €
		50 m	10082	461,00 €
		60 m	10083	490,00 €
		80 m	10084	543,00 €
		100 m	10085	589,00 €
		120 m	10086	619,00 €
		150 m	10110	705,00 €








Item	Item no.	Rec. trade price	
	Spare fiberglass rod Ø 7,5 mm with ending couplings, RUNPOTEC RTG Ø 12 mm thread		
	40 m	20368	122,50 €
	50 m	20369	138,20 €
	60 m	20370	156,20 €
	80 m	20371	195,50 €
	100 m	20372	230,30 €
	120 m	20414	265,10 €
	Spare fiberglass rod Ø 9 mm with ending couplings, RUNPOTEC RTG Ø 12 mm thread		
	40 m	20373	137,10 €
	50 m	20374	161,80 €
	60 m	20375	187,60 €
	80 m	20376	233,70 €
	100 m	20377	292,10 €
	120 m	20378	330,30 €
150 m	20562	393,80 €	

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 7,5 mm/Ø 9 mm

Ø			
7,5 mm	50–120 mm	500 mm	3400 Kg
9 mm	60–200 mm	620 mm	4500 Kg

	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Roller Ø 50 mm - aluminium / stainless steel - RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20382	38,20 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Shackle - stainless steel RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20383	26,60 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 30 mm - stainless steel - RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20404	24,30 €
	Cross section  RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	Starting head Ø 20 mm - stainless steel - RUNPOTEC RTG Ø 12 mm thread incl. connection thread and Blind cap	20409	22,00 €
			Swivel joint stainless steel RUNPOTEC RTG Ø 12 mm thread	20387	33,60 €
			Metercounter for steel cage Ø 730 mm	20461	106,50 €
			Runout rollers - Repair Kit (4 parts) for steel cage Ø 730 mm and 1000 mm	20646	30,30 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

Item	Item no.	Rec. trade price
 <p>Repair manual www.runpotec.com</p>	<p>Complete repair kit 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint for Ø 7,5 mm for Ø 9 mm</p>	<p>20384 44,90 € 20385 49,40 €</p>
	<p>Ending joint stainless steel, RUNPOTEC RTG Ø 12 mm thread for Ø 7,5 mm for Ø 9 mm</p>	<p>20381 9,90 € 20379 9,90 €</p>
	<p>Coupling joint stainless steel for Ø 7,5 mm for Ø 9 mm</p>	<p>20380 13,40 € 20412 13,80 €</p>
	<p>Blind cap set RUNPOTEC RTG Ø 6 mm thread PU = 3 blind cap set</p>	<p>20443 5,60 €</p>
	<p>2 components special glue 24 ml</p>	<p>30067 19,70 €</p>
	<p>Wheeled steel cage incl. double run-out system and metercounter for Ø 7,5 mm and 9 mm galvanized / powder coated Ø 730 mm</p>	<p>20405 311,20 €</p>
	<p>SPRAY 400 ml FOAM SPRAY 400 ml Non inflammable (with folding spray tube) GEL 1000 g GEL 250 g</p>	<p>20523 8,20 € 20522 7,10 € 30064 8,90 € 30467 4,40 €</p>
	<p>LIQUID lubricant 1000 ml</p>	<p>30063 7,20 €</p>

RUNPOCAM COMPATIBLE

The RUNPOCAM RC2 – Multifunction-inspection-camera is also compatible with fiberglass rod Ø 7,5 mm, Ø 9 mm, Ø 11 mm and Ø 15 mm. This allows the coupling thread RTG Ø 12 mm to RTG Ø 6 mm thread.



Fiberglass rod Ø 11 mm with wheeled steel cage incl. new double run-out system




INCLUSIV ACCESSORIES:

- 1 x Mobile fiberglass rod incl. double run-out system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides (Beginning/Ending)

INCLUDED NEW DOUBLE RUN-OUT SYSTEM




automatic run-out brake



Quick run with mounted rollers

Additional option:
Cage - flexible leading head - set
see page 40



Adaptable leading heads



METERCOUNTER is standard included within all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

Ending



Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread

Beginning




















Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread
• screwed to strand •





Ø	Cage	Length	Item no.	Rec. trade price
11 mm	wheeled Ø 1000 mm	100 m	10092	718,00 €
		120 m	10093	785,00 €
		150 m	10094	886,00 €
		200 m	10095	1055,00 €
		250 m	10096	1235,00 €
		300 m	10097	1347,00 €

Item	Item no.	Rec. trade price
<p>Spare fiberglass Ø 11 mm with ending couplings RUNPOTEC RTG Ø 12 mm thread</p>	100 m	20386
	120 m	20417
	150 m	20418
	200 m	20419
	250 m	20420
	300 m	20421
		493,20 €
		504,50 €
		628,00 €
		785,30 €
		931,40 €
		1088,70 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022.
All illustrations are symbol photos. Typing and printing errors reserved.

Item			Item no.	Rec. trade price
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20382	38,20 €
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20383	26,60 €
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20404	24,30 €
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20409	22,00 €
			20387	33,60 €
			20424	57,70 €
			20422	11,50 €
			20423	16,20 €
			20443	5,60 €
			30067	19,70 €
			20416	387,60 €
			20462	112,20 €
			20646	30,30 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 11 mm

			
11 mm	80 – 250 mm	770 mm	6200 Kg

Information




Cable pulling grip range see **page 32**

Fiberglass rod Ø 15 mm with wheeled steel cage – galvanized/powder coated



Additional option:
Cage - flexible leading head - set
see page 40



Adaptable leading heads



METERCOUNTER is standard included within all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

INCLUSIV ACCESSORIES:

- 1 x Mobile fiberglass rod without double run-out system
- 1 x Metercounter
- 1 x Shackle
- 1 x Rod with ending joint on both sides

Ending



Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread

Beginning



Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread
• screwed to strand •





Ø	Cage	Length	Item no.	Rec. trade price
15 mm	wheeled Ø 1400 mm	150 m	10099	2473,00 €
		200 m	10100	2726,00 €
		250 m	10101	3003,00 €
		300 m	10102	3256,00 €
		350 m	10103	3533,00 €
		400 m	10104	3818,00 €

Item	Item no.	Rec. trade price	
 <p>Spare fiberglass Ø 15 mm with ending couplings RUNPOTEC RTG Ø 12 mm thread</p>			
	150 m	20491	999,90 €
	200 m	20492	1234,70 €
	250 m	20493	1499,90 €
	300 m	20494	1761,60 €
	350 m	20495	2020,10 €
	400 m	20496	2323,40 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022.
All illustrations are symbol photos. Typing and printing errors reserved.

Item			Item no.	Rec. trade price
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20382	38,20 €
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20383	26,60 €
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20404	24,30 €
	 RTG Ø 12 mm RTG Ø 6 mm	incl. Connection thread (for flexible leading head or small-sized cable pulling grip)	20409	22,00 €
			20387	33,60 €
		Repair manual www.runpotec.com	20489	167,40 €
			20490	54,50 €
			20498	55,10 €
			30067	19,70 €
			20497	1590,90 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 15 mm

			
15 mm	180 – 450 mm	1200 mm	14500 Kg

Information




Cable pulling grip range see **page 32**

CAPSTAN WINCH CW 800 E – for horizontal cable pulling






EXTRA STRONG
Does the tensile force from 8 to 10 people



Item	Item no.	Rec. trade price
Capstan winch CW 800 E incl. steel trolley mounting rail and 3 m strap (Total weight 41.5 kg) for horizontal cable pulling Motor connection: 230 V 50 Hz – Motor power: 0.75 KW 5.1 A	10138	2243,00 €

Optimal for pulling one or more cables horizontally. Where several persons are needed for higher pulling loads on many sites, one person is sufficient to pull in the cables with the CW 800 E capstan winch by RUNPOTEC with a choice of **4 m/min | max. 800 kg** or **8 m/min | max. 400 kg**. The capstan winch can be fixed in place via the mounting holes, or attached to solid objects using the enclosed strap. The trolley mounting rail is another very convenient fastening option. A special coupling opening enables it to be attached to a car's trailer hitch. It is also possible to mount the rail vertically or horizontally to enable the CW 800 E capstan winch to be suspended with ease and attached via the two fixing bolts. **SAFETY NOTICE:**

Not suitable for vertical cable pulling, must not be used to carry or lift loads or persons.

Item	Item no.	Rec. trade price
 <p>Capstan winch CW 800 E without trolley incl. 3 m strap (Total weight 32 kg) for horizontal cable pulling Motor connection: 230 V 50 Hz Motor power: 0.75 KW 5.1 A</p>	10148	2141,00 €
 <p>Steel trolley mounting rail</p>	20622	134,80 €
 <p>Capstan head - Spare part for CW 800 E Diameter Ø 55 mm - Tensile load 800 kg Diameter Ø 110 mm - Tensile load 400 kg</p>	20658 20657	155,20 € 187,30 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

The portable **RUNPOTEC capstan winch CW 800 E** can be fastened in various ways.




The housing can be screwed to the floor **7**, or with a strap and suitable accessories through the attachment eye **8** fixed to a solid object (e.g., tree). You can also fix the housing on the RUNPOTEC trolley **10** by means of locking bolts **6** on the rail. The trolley itself can be screwed down, hung directly on a trailer hitch **12** or fixed with a strap through the attachment eye to a fixed object.

Application of the **RUNPOTEC capstan winch CW 800 E**



The cable to be pulled is connected, preferably with a **connection swivel with swivel**, with the pull rope.



The towing rope is guided past inside the rope guide pin **4**. Wrap the towing rope at least 3 times around the capstan winch (**2 or 3**) and then lead out through the rope guide **5**. Keep the towing rope tight, so that it does not get tangled up.



The operator stands next to the capstan winch with a sufficient safety distance and pulls with little effort at a 90° angle to the pulling direction on the pull rope. The effort should only be so strong until the feed rate is reached. **Very strong pulling does not increase the pulling power of the capstan winch!**

Polyester cable pulling rope incl. steel cage

  VIDEO



Capstan winch CW 800 E






Item	Rope Ø	Length	Reel basket Ø	Internal reel basket	Total breaking load	Item no.	Rec. trade price
Polyester cable pulling rope incl. steel cage	8 mm	120 m	520 mm	70 mm	1100 kg	10169	358,00 €
	10 mm	120 m	520 mm	70 mm	1640 kg	10167	403,00 €
		200 m	770 mm	98 mm		10168	549,00 €
	12 mm	150 m	770 mm	98 mm	2180 kg	10120	572,00 €
		200 m	770 mm	98 mm		10121	639,00 €
		300 m	770 mm	192 mm		10122	774,00 €
		350 m	770 mm	192 mm		10123	864,00 €

RUNPOTEC recommends the polyester Ø 10mm and Ø 12mm cable pulling rope for the horizontal cable pull in conjunction with the RUNPOTEC capstan winch CW 800 E. RUNPOTEC recommends using the connection swirl with twist compensator for the horizontal cable pull. It reduces frictional resistance and protects the cable and feed system. The steel cage enables the rope to be wound in/out in a controlled manner. It also ensures the rope is optimally stowed and ready for use.


SAFETY NOTICE:

Not suitable for the vertical cable pull, must not be used to bear/lift loads or people.

Item	Reel basket Ø	Internal reel basket	Item no.	Rec. trade price	
  	Rope reel 514	514 mm	70 mm	20527	243,40 €
	Rope reel 770 narrow	770 mm	98 mm	20526	315,70 €
	Rope reel 770 wide	770 mm	192 mm	20525	320,90 €

Item	Rope Ø	Length	Reel basket Ø	Drum height	Total breaking load	Item no.	Rec. trade price
	8 mm	120 m	230 mm	217 mm	1100 kg	20621	122,50 €
	10 mm	120 m	250 mm	300 mm	1640 kg	20619	167,40 €
		200 m	300 mm	300 mm		20620	246,00 €
	12 mm	150 m	300 mm	345 mm	2180 kg	20615	257,30 €
		200 m	350 mm	330 mm		20616	335,90 €
		300 m	400 mm	380 mm		20617	482,00 €
	350 m	400 mm	430 mm		20618	560,60 €	

Item	Weave length	Total breaking Load	Ø	Item no.	Rec. trade price
 Weave length  Application image	600 mm	1019 kg	Ø 10 - 15 mm	20661	39,30 €
	600 mm	2080 kg	Ø 15 - 20 mm	20662	40,40 €
	600 mm	2080 kg	Ø 20 - 25 mm	20663	41,60 €
	1000 mm	2080 kg	Ø 25 - 30 mm	20664	46,00 €
	1250 mm	3059 kg	Ø 30 - 40 mm	20665	51,70 €
	1250 mm	4078 kg	Ø 40 - 50 mm	20666	57,40 €
	1500 mm	4996 kg	Ø 50 - 60 mm	20667	66,30 €
	1500 mm	4996 kg	Ø 60 - 70 mm	20668	77,60 €
	1500 mm	4996 kg	Ø 70 - 85 mm	20669	91,00 €
	1500 mm	5812 kg	Ø 85 - 100 mm	20670	103,40 €

Accessories	Item no.	Rec. trade price
 connection swirl with swivel Ø 30 mm L 144 mm stainless steel tension load 1500 kg fork-Ø 12 mm	10176	190,00 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

Cable guide roller – chain



Item	Item no.	Rec. trade price
<p>Cable guide roller – chain – 3-part – roller-Ø 130 mm – max. cable - Ø 100 mm Load capacity 1.500 kg</p> <p>The cable guide roller - chain is extremely versatile and can be used for pulling cables gently around corners with the least possible resistance. The cable guide roller - chain can be optionally expanded with additional rollers or links. The lightweight and highly robust design reduces the effort required. The high-quality, die-cast aluminium rollers with integrated sealed ball bearings and the sturdy powder-coated steel frame guarantee a long service life.</p>	10166	227,00 €

Cable guide roller – roller diameter Ø 130 mm

Item	Item no.	Rec. trade price
<p>Cable guide roller - shaft - Load capacity 1.500 kg For insert cables into or out of shafts Roller diameter: Ø 130 mm, max. cable diameter: Ø 100 mm, Heavy duty roller: aluminum, Frame: steel</p>	10157	75,00 €
<p>Cable guide roller - shaft inside edge - Load capacity 1.500 kg For shafts, stairways or stages Roller diameter: Ø 130 mm, Max. cable diameter: Ø 100 mm, Heavy duty roller: aluminum, Frame: steel</p>	10156	75,00 €
<p>90° cable guide roller - Load capacity 1.500 kg For corners and edges Roller diameter: Ø 130 mm Max. cable diameter: Ø 100 mm Heavy duty roller: aluminum, Frame: steel</p>	10153	148,00 €

Laser distance meter **RM 80** Powerful laser up to 80 m



POWERFUL LASER
▶ UPTO 80m



Carrying loop



Front laser

Measures from 90° corner



Protective case with belt loop





Item	Item no.	Rec. trade price
Laser distance meter RM 80 ▶ measures up to 80 m distance ▶ incl. angle- and inclination display ▶ extensive calculation functions ▶ storage of 99 measurements ▶ measures from 90° corner ▶ incl. protective case with belt loop	10108	114,40 €

Specifications

Measuring range	0,05 m – 80 m	IP rating	IP 54
MEASURING TOLERANCE	± 1,5 mm	Laser type	620 – 690 nm, < 1mW
Laser class	2	Dimensions (mm)	121 x 45 x 25
Measure range of tilt sensor	360°	Battery	AAA 2 x 1,5 V
Accuracy of tilt sensor	± 0,3 ° *	Battery life	up to 5000 measurements


* This is the typical value. Depending on the environment the deviation can rise slightly.


Measurement examples





All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022. All illustrations are symbol photos. Typing and printing errors reserved.

Metal spiral with special eyelet


 3 times offset wound metal spiral





Ending		Beginning		
				
End cap • pressed onto strand •		Special eyelet Ø 6 mm • pressed onto strand •		

Item	Ø	Length	Item no.	Rec. trade price
Metal spiral with special eyelet	4 mm	10 m	30010	13,40 €
		15 m	30011	20,80 €
		20 m	30012	25,60 €
		25 m	30013	31,60 €
		30 m	30014	37,50 €





Nylon fish tape



Ending		Beginning		
				
Eyelet Ø 6 mm • pressed onto strand •		Starting spinner with eyelet head Ø 6 mm • pressed onto strand •		

Item	Ø	Length	Item no.	Rec. trade price
Nylonspirale	4 mm	5 m	20060	7,30 €
		10 m	20061	8,50 €
		15 m	20062	10,60 €
		20 m	20063	12,00 €
		25 m	20064	13,50 €
		30 m	20065	14,90 €

Recommended tube diameter, bending radius and tension loads for the Nylon fish tape

Ø				
4 mm	16 – 25 mm	25 mm	110 Kg	110 Kg

Page	Item no.	EAN-Code	Rec. trade price
28	10000	9120045476163	291,00 €
20	10013	9120045472806	140,00 €
20	10014	9120045472813	157,00 €
22	10016	9120045473094	116,00 €
22	10020	9120045473100	138,00 €
23	10042	9120045473186	23,00 €
23	10043	9120045473179	19,00 €
23	10044	9120045473162	19,00 €
23	10045	9120045473155	20,00 €
34	10047	9120045473520	321,00 €
34	10048	9120045473537	255,00 €
34	10050	9120045473544	373,00 €
34	10051	9120045473551	306,00 €
34	10052	9120045473568	245,00 €
34	10054	9120045473575	180,00 €
34	10055	9120045473582	272,00 €
34	10056	9120045473599	206,00 €
34	10057	9120045473605	297,00 €
34	10058	9120045473612	230,00 €
37	10059	9120045473629	303,00 €
37	10060	9120045473636	249,00 €
37	10061	9120045473643	329,00 €
37	10062	9120045473650	275,00 €
37	10063	9120045473667	360,00 €
37	10064	9120045473674	306,00 €
37	10065	9120045473681	422,00 €
37	10066	9120045473704	369,00 €
41	10076	9120045473858	429,00 €
41	10077	9120045473865	449,00 €
41	10078	9120045473872	468,00 €
41	10079	9120045473889	508,00 €
41	10080	9120045473896	543,00 €
41	10081	9120045473902	433,00 €
41	10082	9120045473919	461,00 €
41	10083	9120045473926	490,00 €
41	10084	9120045473933	543,00 €
41	10085	9120045473940	589,00 €
41	10086	9120045473957	619,00 €
25	10087	9120045473964	97,00 €
25	10088	9120045473971	110,00 €
25	10089	9120045473988	121,00 €
25	10090	9120045473995	135,00 €

Page	Item no.	EAN-Code	Rec. trade price
41	10091	9120045474428	575,00 €
44	10092	9120045474480	718,00 €
44	10093	9120045474497	785,00 €
44	10094	9120045474503	886,00 €
44	10095	9120045474510	1.055,00 €
44	10096	9120045474527	1.235,00 €
44	10097	9120045474534	1.347,00 €
46	10099	9120045474749	2.473,00 €
46	10100	9120045474756	2.726,00 €
46	10101	9120045474763	3.003,00 €
46	10102	9120045474770	3.256,00 €
46	10103	9120045474787	3.533,00 €
46	10104	9120045474794	3.818,00 €
52	10108	9120045474893	114,40 €
41	10110	9120045475210	705,00 €
50	10120	9120045475364	572,00 €
50	10121	9120045475371	639,00 €
50	10122	9120045475388	774,00 €
50	10123	9120045475395	864,00 €
12	10134	9120045475647	186,90 €
12	10135	9120045475654	219,40 €
11	10136	9120045475616	234,00 €
8	10137	9120045475623	114,40 €
48	10138	9120045475630	2.243,00 €
16	10139	9120045475555	523,90 €
16	10140	9120045475562	565,90 €
16	10141	9120045475579	607,90 €
12	10142	9120045475609	815,00 €
14	10147	9120045475708	132,00 €
48	10148	9120045475715	2.141,00 €
51	10153	9120045476361	148,00 €
30	10154	9120045475777	39,80 €
51	10156	9120045476378	75,00 €
51	10157	9120045476385	75,00 €
30	10159	9120045475821	39,80 €
14	10161	9120045476439	2.030,00 €
14	10162	9120045476446	2.610,00 €
14	10163	9120045476453	2.650,00 €
14	10164	9120045476460	2.690,00 €
51	10166	9120045476521	227,00 €
50	10167	9120045475906	403,00 €
50	10168	9120045475913	549,00 €

All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022.
All illustrations are symbol photos. Typing and printing errors reserved.

Page	Item no.	EAN-Code	Rec. trade price
50	10169	9120045475920	358,00 €
9	10170	9120045476545	189,00 €
9	10171	9120045476552	305,00 €
2,6	10172	9120045476583	329,00 €
9	10174	9120045475685	148,00 €
32,5	10176	9120045475999	190,00 €
6	10184	9120045476910	469,00 €
3	11117	9120045476224	181,00 €
21,35	11120	9120045473353	374,00 €
2	11137	9120045475586	695,00 €
2	11138	9120045475593	669,00 €
17	11140	9120045476392	789,00 €
3	11142	9120045476651	175,00 €
2	11143	9120045476897	379,00 €
36	20002	9120045473711	125,80 €
28	20004	9120045472585	173,00 €
28	20010	9120045470161	7,90 €
28	20020	9120045470253	8,50 €
28	20025	9120045470307	8,50 €
28	20032	9120045470376	8,50 €
28	20040	9120045470451	8,50 €
22	20059	9120045473049	20,80 €
53	20060	9120045472523	7,30 €
53	20061	9120045472530	8,50 €
53	20062	9120045472547	10,60 €
53	20063	9120045472554	12,00 €
53	20064	9120045472561	13,50 €
53	20065	9120045472578	14,90 €
26	20104	9120045474015	52,10 €
26	20105	9120045474022	57,30 €
26	20106	9120045474039	63,70 €
27	20107	9120045474046	6,90 €
27	20108	9120045474053	6,90 €
26	20116	9120045474077	7,30 €
26	20119	9120045474091	7,90 €
23,26	20238	9120045473209	30,40 €
21	20240	9120045472820	106,60 €
21	20241	9120045472837	123,50 €
21	20242	9120045472844	140,30 €
36	20250	9120045473384	21,30 €
36	20251	9120045473391	22,80 €
39	20252	9120045473407	38,20 €

Page	Item no.	EAN-Code	Rec. trade price
28	20253	9120045472868	16,70 €
23	20260	9120045473032	8,80 €
23	20261	9120045473018	6,40 €
23	20262	9120045473001	9,40 €
32	20266	9120045473728	39,20 €
32	20267	9120045473735	40,40 €
32	20268	9120045473742	41,70 €
32	20269	9120045473759	43,60 €
31	20272	9120045473292	25,20 €
31	20273	9120045473308	27,80 €
31	20274	9120045473315	32,00 €
36,38	20278	9120045474350	40,40 €
35,38	20279	9120045473230	17,40 €
35,38	20280	9120045474800	14,50 €
39	20300	9120045473766	160,90 €
35,38	20303	9120045474084	7,60 €
35	20311	9120045473438	77,70 €
35	20312	9120045473445	92,40 €
35	20313	9120045473452	107,00 €
35	20314	9120045473469	123,80 €
35	20315	9120045473476	153,00 €
39	20316	9120045473261	11,80 €
38	20317	9120045473483	100,00 €
38	20318	9120045473490	121,90 €
38	20319	9120045473506	139,50 €
38	20320	9120045473513	177,10 €
39	20321	9120045473414	13,40 €
36	20322	9120045473254	10,60 €
36	20323	9120045473421	13,40 €
28	20333	9120045473780	8,10 €
31	20365	9120045474114	17,30 €
31	20366	9120045474121	18,50 €
31	20367	9120045474138	28,00 €
42	20368	9120045474145	122,50 €
42	20369	9120045474152	138,20 €
42	20370	9120045474169	156,20 €
42	20371	9120045474176	195,50 €
42	20372	9120045474183	230,30 €
42	20373	9120045474190	137,10 €
42	20374	9120045474206	161,80 €
42	20375	9120045474213	187,60 €
42	20376	9120045474220	233,70 €

Page	Item no.	EAN-Code	Rec. trade price
42	20377	9120045474237	292,10 €
42	20378	9120045474244	330,30 €
43	20379	9120045474268	9,90 €
43	20380	9120045474275	13,40 €
43	20381	9120045474282	9,90 €
45,47	20382	9120045474299	38,20 €
45,47	20383	9120045474305	26,60 €
43	20384	9120045474312	44,90 €
43	20385	9120045474329	49,40 €
44	20386	9120045474541	493,20 €
45,47	20387	9120045474336	33,60 €
32	20388	9120045474343	21,30 €
36	20402	9120045474374	173,00 €
39	20403	9120045474367	219,10 €
45,47	20404	9120045474398	24,30 €
43	20405	9120045474404	311,20 €
26	20408	9120045474459	22,00 €
45,47	20409	9120045474411	22,00 €
27	20411	9120045474107	6,70 €
43	20412	9120045474251	13,80 €
26	20413	9120045474008	39,30 €
42	20414	9120045474442	265,10 €
45	20416	9120045474473	387,60 €
44	20417	9120045474558	504,50 €
44	20418	9120045474565	628,00 €
44	20419	9120045474572	785,30 €
44	20420	9120045474589	931,40 €
44	20421	9120045474596	1.088,70 €
45	20422	9120045474602	11,50 €
45	20423	9120045474985	16,20 €
45	20424	9120045474626	57,70 €
23	20427	9120045474633	6,60 €
23	20428	9120045474640	6,60 €
32	20436	9120045474657	60,10 €
32	20437	9120045474664	63,70 €
32	20438	9120045474671	68,30 €
32	20439	9120045474688	76,40 €
32	20440	9120045474695	90,20 €
32	20441	9120045474701	106,50 €
40	20442	9120045474718	96,10 €
43,45	20443	9120045474725	5,60 €
23	20455	9120045474831	16,20 €

Page	Item no.	EAN-Code	Rec. trade price
23	20457	9120045474848	11,50 €
26,35	20460	9120045474855	30,40 €
42	20461	9120045474879	106,50 €
45	20462	9120045474886	112,20 €
22	20468	9120045475081	19,70 €
26	20475	9120045475098	22,00 €
26	20476	9120045475104	44,60 €
18	20481	9120045475180	66,90 €
18	20483	9120045475197	6,60 €
18	20484	9120045474930	9,10 €
18	20485	9120045474947	44,80 €
24,36	20487	9120045474954	9,10 €
18	20488	9120045474961	133,10 €
47	20489	9120045474978	167,40 €
46	20490	9120045474992	54,50 €
46	20491	9120045475005	999,90 €
46	20492	9120045475012	1.234,70 €
46	20493	9120045475029	1.499,90 €
46	20494	9120045475036	1.761,60 €
46	20495	9120045475043	2.020,10 €
46	20496	9120045475050	2.323,40 €
47	20497	9120045475067	1.590,90 €
47	20498	9120045475203	55,10 €
18	20509	9120045475241	7,50 €
27	20522	9120045475265	7,10 €
27	20523	9120045475272	8,20 €
50	20525	9120045475296	320,90 €
50	20526	9120045475302	315,70 €
50	20527	9120045475319	243,40 €
18	20559	9120045476156	334,80 €
18	20560	9120045476149	291,00 €
42	20562	9120045476194	393,80 €
18	20593	9120045476132	207,80 €
18	20606	9120045476088	21,30 €
18	20607	9120045476064	16,30 €
18	20608	9120045476019	28,10 €
12	20609	9120045475678	28,10 €
12	20610	9120045476095	30,30 €
28	20611	9120045476118	52,80 €
18	20612	9120045476026	52,80 €
21	20613	9120045476002	52,80 €
23	20614	9120045476101	23,60 €


All prices are ex-works 5303 - Thalgau - AUSTRIA - plus statutory taxes and duties. All price information represents non-binding price recommendations. Pricelist 2022.
All illustrations are symbol photos. Typing and printing errors reserved.

Page	Item no.	EAN-Code	Rec. trade price
50	20615	9120045475838	257,30 €
50	20616	9120045475845	335,90 €
50	20617	9120045475852	482,00 €
50	20618	9120045475869	560,60 €
50	20619	9120045475876	167,40 €
50	20620	9120045475883	246,00 €
50	20621	9120045475890	122,50 €
48	20622	9120045475722	134,80 €
12	20623	9120045475661	72,80 €
30	20624	9120045475739	13,50 €
30	20625	9120045475746	14,10 €
30	20626	9120045475753	14,60 €
30	20627	9120045475760	15,10 €
30	20628	9120045475784	13,50 €
30	20629	9120045475791	14,10 €
30	20630	9120045475807	14,60 €
30	20631	9120045475814	15,10 €
8,11	20632	9120045476071	9,80 €
42,45	20646	9120045476187	30,30 €
48	20657	9120045476613	187,30 €
48	20658	9120045476620	155,20 €
32	20661	9120045476248	39,30 €
32	20662	9120045476255	40,40 €
32	20663	9120045476262	41,60 €
32	20664	9120045476279	46,00 €
32	20665	9120045476286	51,70 €
32	20666	9120045476293	57,40 €
32	20667	9120045476309	66,30 €
32	20668	9120045476316	77,60 €
32	20669	9120045476323	91,00 €
32	20670	9120045476330	103,40 €
14	20692	9120045476484	490,00 €
14	20693	9120045476491	530,00 €
14	20694	9120045476507	570,00 €
9	20696	9120045476538	51,40 €
7	20706	9120045475326	32,10 €
7	20707	9120045475333	12,90 €
7	20708	9120045475340	52,80 €
14	20711	9120045476644	134,80 €
7	20714	9120045476637	37,10 €
7	20738	9120045476705	16,30 €
7	20739	9120045476712	38,20 €

Page	Item no.	EAN-Code	Rec. trade price
23	30009	9120045473193	21,30 €
53	30010	9120045471977	13,40 €
53	30011	9120045471984	20,80 €
53	30012	9120045471991	25,60 €
53	30013	9120045472004	31,60 €
53	30014	9120045472011	37,50 €
29	30017	9120045472028	25,40 €
29	30018	9120045472035	32,80 €
29	30019	9120045472042	41,10 €
29	30020	9120045472059	48,70 €
29	30021	9120045472066	52,70 €
24	30027	9120045472073	16,20 €
24	30028	9120045472080	17,30 €
24	30029	9120045472097	20,80 €
24	30030	9120045472103	24,30 €
31	30039	9120045472158	20,10 €
31	30040	9120045472165	22,10 €
31	30041	9120045472172	34,10 €
24	30042	9120045472189	28,90 €
24	30043	9120045472196	33,50 €
27,36	30050	9120045472240	8,00 €
29	30054	9120045474466	18,50 €
19,43	30063	9120045472301	7,20 €
27	30064	9120045472318	8,90 €
36,38	30067	9120045472356	19,70 €
27,36	30070	9120045472387	6,10 €
21	30146	9120045473841	33,70 €
36,38	30208	9120045473025	4,60 €
23	30210	9120045473124	4,00 €
23	30236	9120045473056	5,20 €
22	30239	9120045472998	19,70 €
27	30467	9120045474862	4,40 €



The muscle power you use will be optimally converted into performance using the revolutionary RUNPOGLIDER (special glider) with swivel. The perfect mixture of shape, stability and flexibility (based on the conical shape) now enables you to have **even more penetrating power!**



1 SWIVEL The integrated swivel, allows the cable to turn in the pipe and reducing wear and tear and gives the cablepulling system and the cable an extended service lifetime.

2 HIGHEST-POSSIBLE BREAKAGE PROTECTION Numerous stable safety reinforcements in the connection between the spiral strand and the RUNPOGLIDER guarantee the highest-possible **breaking load (Ø 6 mm > 200 kg / Ø 7 mm > 300 kg) for RUNPOGLIDER spirals.**

3 NO HEAD CHANGING The universal **special eyelet head** is not only shaped optimally for pushing in the RUNPOGLIDER spirals or the POWER REX, it is also made for pulling in the cable at the same time.

Therefore it is not necessary to change the head!

4 MORE CABLE TAKE-UP The extra-large eyelet in the **special eyelet** head can take up more cable than other spirals. This enables you to **save** valuable time!

Item	Item no.	Rec. trade price
RUNPOGLIDER with SWIVEL Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread Compatible with RUNPOTEC-Products POWER REX, RUNPOSTICKS, fiberglass rods 4,5 mm and 6 mm	20238	30,40 €

Advantage:



Large eyelet hole
up to **7 x 2.5 mm²**
cable take-up

Version: 04-2010

Area of applicability:

All deliveries and services of Runpotec GmbH, hereinafter referred to as Runpotec in abbreviated form, shall take place on the basis of the general terms and conditions of business at hand. Any deviating terms and conditions of business of the customer shall not become part of the contract, also in case that their validity is named as a condition for the conclusion of the business transaction.

II Offer and order:

1. All offers shall be subject to confirmation and non-binding.
2. The contract shall come into existence either by means of a written order confirmation or by delivery of the goods. In the latter case, the invoice shall also apply as the order confirmation.
3. The details concerning the services of Runpotec contained in price lists, in catalogues on the Internet and other advertising media do not contain any information which defines services as defined in § 922 Paragraph 2 of the Austrian General Civil Code (ABGB).
4. Amendments and additions to the contract, including the general terms and conditions of business, shall require written form to take legal effect. The same shall also apply in respect of deviation from the written form clause itself. Oral ancillary agreements shall not be effective.

III. Prices and payment terms

1. The prices named in catalogues, prospectuses, mailing letters, price lists and illustrations are non-binding and subject to confirmation. The prices are exclusive of value added tax and customs duties, as well as any shipping costs due.
2. As a rule, deliveries shall only be made with payment on delivery or prepayment. Bills of exchange and cheques shall not be considered as payment and shall only be accepted under notice of provisional receipt.
3. In case of payment delay, the Customer shall be obliged to pay default interest of 10% per annum.
4. The Customer shall pay a fee of up to € 20 for each warning to cover the expenses incurred. In addition, the reasonable costs of engaged credit collection agencies or lawyers shall be paid by the Customer.
5. The Customer shall not be entitled to set off with claims of any type, unless these are expressly recognised by Runpotec in writing or have been recognised by declaratory judgement by a court.

IV. Delivery

1. Delivery times shall be complied with as best as possible, but shall be non-binding. Delivery delays shall therefore not entitle the Customer to assert claims, regardless of under which legal title. Circumstances which are independent of and cannot be influenced by Runpotec, such as operational disruptions, interventions by the authorities, delays of subcontractors, labour conflicts etc. shall extend the delivery deadline by the duration of the hindrance and shall entitle Runpotec to rescind the contract, to the exclusion of damages claims, warranty claims and error appeal claims. This shall also apply if the events occur at a time in which Runpotec is already in default.
2. The dispatch or transportation shall take place at the expense and risk of the Customer. In the absence of specific instructions of the Customer, the delivery shall take place at our best discretion and without a guarantee concerning the choice of the best and cheapest shipping. Packaging material will not be accepted for return. The transfer of risk from Runpotec to the Customer will also take place on handover to the shipping company in respect of goods which are delivered free house. Insurance will only be concluded by means of written order by the contracting partner and this shall be at their expense.
3. Regardless of the place of delivery and/or performance and the covering of possible transportation costs, 5303 Thalgau, Austria is hereby agreed as the place of performance on the part of the Customer.
4. Any possible export and customs permits, currency permits or similar permits shall be obtained by the Customer at its own expense. The Customer shall be obliged to hold Runpotec free and harmless from all customs expenses. In case of other liability in respect of tax stipulations, the Customer shall be obliged to return all export and customs papers to Runpotec in the original. Runpotec shall not incur liability in respect of the permissibility of the export of the goods and their conformity with the legal and technical regulations of the importing country, and shall also not be responsible for the goods conforming to the state of technology in the importing country.
5. In case of delay in acceptance on the part of the Customer, Runpotec shall be entitled to either to request performance and the full fee or to rescind the contract and demand a cancellation fee of 50% of the value of the goods. A possible claim for damages which goes beyond this shall not be affected thereby.

VI. Retention of title

1. The goods shall remain the property of Runpotec until full payment of all claims. During the existence of the retention of title, the Customer shall not be entitled to sell, process or pledge the goods or to dispose of them in any other way.
2. The assertion of the retention of title shall not require rescission, shall not be deemed as rescinding the contract and shall not release the Customer from its obligations, in particular that of payment of the purchase price.

3. In order to inspect the goods which are subject to retention of title, the Customer shall grant access to its operations at all times. Should the Customer enter default concerning its payment obligations, should bankruptcy proceedings be opened against its assets or should it breach other contractual duties, Runpotec shall be entitled to demand surrender of the goods subject to retention of title, to collect these and to enter the premises of the Customer during this process. In case of assertion of the retention of title, the Customer shall be obliged to pay any reduction of value in respect of the goods and to pay Runpotec a reasonable fee for their use.

VII. Guarantee and liability

1. Should the Customer be an entrepreneur, it shall be obliged to immediately make a complaint regarding defects in writing, at the latest within a week of handover, and in case of other lost of claims of any kind giving details of the defect in writing. Defect complaints shall not entitle the Customer to withhold the purchase price in part or in full.
2. The warranty period in relation to consumers shall be two years, and for entrepreneurs, six months.
3. The Customer shall provide Runpotec with the opportunity to check the defect. In case of a defect, Runpotec shall be entitled to defend a possible price reduction claim by means of improvement or a replacement delivery. Runpotec shall be entitled to deal with the defect itself or by a third party on site or to request return of the goods for the purpose of improvement. Dealing with the defect on the part of the customer by means of a third party company shall only be permitted if Runpotec does not deal with the defect within a reasonable deadline, despite a demand note.
4. Warranty claims shall therefore only exist if the device is used in accordance with the operating instructions and in compliance with all intended operating conditions, and the defect arises in normal use. The warranty does not cover the correction of defects which are due to external influences, operating error or use of the device together with other equipment or accessories which are not provided by Runpotec and whose compatibility with the device which forms the subject matter of the contract was not expressly approved in writing.
5. Damages claims for whatever legal reason, in particular due to delay, impossibility, positive breach of obligation, fault at the time of conclusion of the contract, consequential damage caused by defects and error appeal arising out of a defective delivery or service shall be excluded, unless these are caused by intent or gross negligence on the part of Runpotec. In any case, damages claims of the Customer shall be limited to the simple net value of the goods. Liability for lost profit or consequential loss of the Customer of whatever type shall be excluded. The Customer shall provide proof of the presence of fault and causation.
6. The assignment of warranty and damages claims shall not be permitted.
7. The Customer hereby expressly waives the assertion of damages claims for property damage under the title of the Austrian Product Liability Act (Produkthaftungsgesetz) which it suffers within the framework of its company. Should the Customer sell the device to other companies, the Customer shall be obliged to bind its contractual partners and any further commercial contractual partners to this waiver. To the extent that the Customer omits to do this, the Customer shall be obliged to indemnify and hold harmless Runpotec. Should the Customer incur liability due to the Austrian Product Liability Act (Produkthaftungsgesetz), it shall waive any recourse in relation to Runpotec. In case of the presence of the requirements of § 933 b of the Austrian General Civil Code (ABGB), the Customer shall be entitled to obtain recourse within two months in relation to Runpotec, however only if such an assertion takes place before a court within three years of delivery.

VIII Place of jurisdiction and applicable law:

1. Austrian law shall apply between the contracting parties to the exclusion of the UN Convention on the International Sale of Goods.
2. The general terms and conditions of business shall only apply in relation to consumers to the extent that mandatory provisions of the Austrian Consumer Protection Act (Konsumentenschutzgesetz) do not prevent this.
3. The competent court for 5303 Thalgau, Austria is hereby exclusively agreed as the place of jurisdiction for all legal disputes concerning the concluded contract. However, Runpotec shall also be entitled to bring lawsuits at other courts for which a statutory place of jurisdiction of the Customer is present.

IX General:

1. Runpotec shall be entitled to save and process data of the contracting partner in accordance with the Austrian Data Protection Act (Datenschutzgesetz) within the framework of the business dealings.
2. Should any individual points of these terms and conditions of business or the negotiated contract be ineffective, this shall not affect the validity of the remaining provisions. In place of the ineffective provision, a clause which comes closest to its sense and purpose shall be deemed to be agreed.



EXTRA STRONG
max. 800 kg - does the tensile force from 8 to 10 people



Promotion Capstan winch: when you buy
1 x Capstan winch +
1 x PULLING ROPE +
1 x CONNECTION SWIVEL +
 YOU WILL GET
1 x CABLE PULLING GRIP
1 X CABEL GUIDE SHAFT
FOR FREE !

- ✓ Capstan winch CW 800 E incl. trolley mounting rail and strap for horizontal cable pulling (230 V / 50 Hz - 0,75 kWh / 5,1 A)
 - ✓ Pulling rope incl. steel cage (your choice)
 - ✓ Connection swirl with swivel Tension load 1500 kg
 - ✓ Cable pulling grip with loop
 - ✓ Cable guide roller shaft
- DETAILS SEE PAGE 48 - 50**

FOR FREE



CABLE GUIDE ROLLER
HIGH PERFORMANCE GUIDE ROLLER

Gently and effortlessly pulling of cables around corners or edges



Cable guide roller - chain - 3-part universally applicable
 Item no.: 10166 | € 227,00

Cable guide roller 90 ° - for corners and edges
 Item no.: 10153 | € 148,00

Cable guide roller shaft - for insert cables into out of shafts
 Item no.: 10157 | € 75,00

Cable guide roller shaft inside edge - for shafts or stages
 Item no.: 10156 | € 75,00



Irlachstrasse 31
 5303 Thalgau / Austria
 Fon: +43 6235 20335-0
 Fax: +43 6235 20335-35
 office@runpotec.com
 www.runpotec.com

